Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

DECK LOG-TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK LOG BOOK

OF THE

U.S.S. ABNAKI

ATF-96
IDENTIFICATION NUMBER

COMMANDED BY

C. C. REED, LT, U. S. N.

Attached to
_____ Division,
_____ Squadron,
_____ Flotilla,
PACIFIC Fleet,
FOURTEEN (14) Naval District,

Commencing +10W 0001W 1 APRIL, 19 63,
(zone time and date)

at PEARL HARBOR, HAWAII,
(location)

and ending +10W 2400W 30 APRIL, 19 63,
(zone time and date)

at PEARL HARBOR, HAWAII
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVY—PEARL HARBOR

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____ _____ , 19__
(Day) (Date) (Month)

APPROVED: EXAMINED:

_____ U.S.N. COMMANDING _____ U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE Monday (Day) 1 (Date) April (Month), 1963

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	170	2	10	BKN	2990	70	66	7	1400	ST			
02	160	4	10	BKN	2989	71	67	7	1400	ST			
03	150	5	10	BKN	2989	72	67	8	1750	ST			
04	140	5	10	BKN	2991	72	67	8	1750	ST			
05	130	7	10	BKN	2993	73	69	8	1400	ST			
06	120	9	10	BKN	2995	75	70	8	1750	ST			
07	100	12	10	BKN	2994	77	72	8	1750	ST			
08	100	10	10	BKN	2995	80	74	8	2100	ST			
09	100	5	10	BKN	2995	82	76	8	2100	ST			
10	100	7	10	BKN	2994	82	76	8	2100	ST			
11	115	7	10	BKN	2993	80	74	8	2100	ST			
12	110	7	10	BKN	2992	80	74	9	2100	ST			
13	100	7	10	BKN	2990	80	74	8	2100	ST			
14	090	5	10	BKN	2991	81	74	8	2450	ST			
15	080	5	10	BKN	2990	81	74	6	2450	ST			
16	070	5	10	BKN	2992	82	74	7	2800	ST			
17	070	5	10	BKN	2992	80	73	8	2450	ST			
18	080	7	10	BKN	2992	77	71	7	2100	ST			
19	080	7	10	BKN	2993	76	70	7	2100	ST			
20	090	7	10	BKN	2995	75	70	7	1750	ST			
21	100	5	10	BKN	2994	73	69	7	2100	ST			
22	100	3	10	BKN	2992	72	68	8	1400	ST			
23	110	3	10	BKN	2990	70	68	8	400	ST			
24	110	2	13	R	2990	70	68	10	400	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 4

FUEL CONSUMED 0000–2400: 254

REMARKS

00-04 Moored stbd. side to Berth B-8. U.S. Naval Shipyard, Pearl Harbor, Hawaii, using four (4) stb. Mooring lines doubled Receiving Fresh and Salt water, Steam, Electrical power and telephone service from the pier. Condition zebra set Main deck and below. Ships present include various units of the U.S. Pacific Fleet, District and Small Craft and Units of the Royal Canadian Navy. S.O.P.A. is C in C Pac Flt.

J.L. Hollis, CWO2, USN

04-08 Moored as before. 0750 mustered the crew at Quarters. Unauthorized absentees: None.

J.L. Hollis, CWO2, USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Walker LTJG U.S.N.R. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 1 (Date) APRIL (Month), 1963

08-12 Moored as before. 0905 Made daily Inspection of Magazines and Smokless powder samples, Conditions Normal. 10:00 set special sea and anchor detail. 1034 Underway, OOD has the Conn. Captain and navigator on the bridge - Steering Various Courses and speeds for safe navigation of the inner Harbor. 1054 moored stbd side to Berth Mike 3, US Naval supply Center, pearl Harbor Hawaii, 1104 Secured Special Sea And Anchor detail, Set the inport Watch. 1120 commenced taking on diesel Fuel oil.

Jul. Hollis CWO2, USN

12-16 Moored as before. 1352 captain and navigator on the bridge 1400 Captain has the Conn; 1412 underway IAW verbal orders port controll from Mike-three to berth Alfa-five (A-5). steering various courses at various speeds to conform with Pearl Harbor traffic and regulations. ; 1430 Steering various courses at various speeds to run degaussing range to check degaussing settings. 1514 Ens Turner has the Conn 1548 Secured degaussing, steering various courses at various speeds to arrive berth Alfa-five (A-5) 1552 moored portside to berth Alfa-five Pearl Harbor Hawaii.

Robert M Turner Ens USNR

16-20 Moored as before. 1607. USS Quapaw (ATF 110) tied up to starboard. 1800. Set material Condition "Yoke"

Robert M Turner Ens USNR

20-24 Moored as before.

Robert M Turner Ens USNR

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: J. L. Walker HQ(6) U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE Tuesday (Day) 2 April (Date) , 19 63

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	130	10	1	OVC RW	29.90	70	68	10	400	ST			
02	130	10	1	OVC RW	29.90	70	69	10	400	ST			
03	130	10	1	OVC RW	29.91	70	69	10	400	ST			
04	170	10	1	OVC	29.91	71	70	10.	400	ST			
05	175	10	3	OVC	29.92	71	70	10	400	ST			
06	200	5	3	OVC	29.92	72	71	10	400	ST			
07	230	3	5	R	29.93	72	71	10	400	ST			
08	250	3	4	R	29.92	72	71	10	400	ST			
09	250	3	5	R	29.92	72	71	10	500	ST			
10	240	3	5	R	29.91	72	71	10	500	ST	77	240	2
11	240	2	7	OVC	29.90	73	71	10	500	ST	76	245	2
12	240	3	8	OVC	29.91	75	73	10	500	ST			
13	250	3	8	OVC	29.90	74	73	10	350	ST			
14	250	3	8	OVC	29.90	74	73	10	350	ST			
15	250	3	8	R	29.90	74	73	10	350	ST			
16	240	2	8	R	29.91	73	72	10	350	ST			
17	260	2	8	R	29.92	73	72	10	350	ST			
18	260	2	8	R	29.92	72	71	10	350	ST			
19	260	3	8	R	29.92	72	71	10	350	ST			
20	280	3	7	R	29.92	71	70	10	350	ST			
21	290	2	5	R	29.91	71	70	10	350	ST			
22	300	3	5	R	29.90	70	69	10	350	ST			
23	310	3	3	R	29.89	70	69	10	350	ST			
24	310	4	3	R	29.88	69	68	10	350	ST			
	310	2	3	R	29.88	68	67	10	350	ST			

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000–2400: 35

FUEL CONSUMED 0000–2400: 157

REMARKS

00-04. moored portside to berth Alfa-five (A-5) US Naval Station Pearl Harbor, Hawaii using four (4) Standard nylon mooring lines doubled up. Receiving fresh water and telephone service from the pier. USS Quapaw (ATF-96) is tied up to Starboard. Ships plus present include various units of the US Pacific Fleet and various yard and district small craft. Material condition "Inport" is set throughout the ship. SOPA is CinCPac Flt.

Robert M Turner Ens USNR

04-08 moored as before. 0700 mustered crew on station; absentees, none. 0715 Captain and navigator on the bridge.

Robert M Turner Ens USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: A L Walker LT(DC) U.S.N.R NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Tuesday (Day) 2 (Date) April (Month), 1963

Ø8-12 Moored as before, 08Ø5 USS Quapaw (ATF110) underway from along side. Ø819 Underway IAW verbal orders port controll from berth A/fa five (A-5) to Local ops area; Steering various courses at various speeds to clear pier and safly navigate Pearl Harbor channel to ops area. Ø837 passed sea bouy one (1) abeam to starboard. Ø842 C/c to 155°. C/S 9.5Kt RT 0848 C/c to 257°; Ø852 C/c 262° Ø858 C/c 257; 0859 C/c 194°. commenced radiation test. 0902 C/S to 9Kts; Ø9Ø4 C/c 190°. 0907 C/c to 160°; Ø91Ø C/c to 150° C/S to 3.3Kts, Ø913 R/10°/R; Ø918 R/15°/R; Ø92Ø R/30°/R; 0922 C/S to 6.7Kts; 0925 R/25°/R 1ØØ8 Made daily inspection of powder magazines and smokeless powder samples, conditions abnormal, seepage in sprinkler valve - approx 1 pint in forty eight (48) hours. R/25°/R. 1005 C/c to 000° C/S to 9.3Kts.; 11ØØ C/S to 6.7Kts L/25°/R.

Robert M Turner Ens USNR

12-16 Underway as before: ~~C/S 9.5Kts~~. 1300 C/S 9.5, 1308 C/c 080°, C/S ~~100~~ 10.0Kts. JOH 1312 C/c 090°. 1331, C/S 6.7Kts. C/c 025°. 1332 C/S ~~2.5~~ 3.3 Kts. Set anchor Detail. JOH Commence Steering various courses and speeds to assigned anchorage. 1337 intered Inland waters. 1348 stbd anchor let go - 25 Fathoms of water. Veered to ~~45~~ 60 JOH Fathoms. So. Hono. #11 anchorage. 1350 Captain has the conn. navigator on the Bridge - 1356 Ens. Swan has the conn. 1410 Underway. A/H 3.3Kts. 1420 A/B 40 R.P.m. let go port anchor, 25 Fathoms of Water. 1421 all stop. Veered to 60 Fathoms port anchor. 1423 ~~Bea~~ Bearing on main propulsion Blower failed. Secured Blower. 1430 underway - Steering various courses & speeds for point Papa Hotel. So. Pearl. 1518 set special and anchor detail. 1519 C/S 7.7 Kts. 1526 Base course 333° Steering various courses & speeds for safe navigation of the pearl Harbor Channel. 1531 passed #2 Sea Bouy abeam to stbd. 200 ft. 1540 #2 MWB in the water. 1552 moored outboard of and port side to USS Quapaw (ATF-110) at Berth alpha Five (A-5) U.S. Naval station, pearl Harbor, Hawaii - Four std mooring lines Doubled. 1555 Secured sea and anchor detail. #1 S/S generator furnishing ships power and lighting. JOH

J.D. Hollis. CWO2, USN.

16-20 MOORED AS BEFORE 1741 SET SPECIAL SEA DETAIL CAPTAIN ON THE BRIDGE OOD HAS THE CONN 18ØØ UNDERWAY FROM ALPHA FIVE IN ~~ACCORDANANCE~~ ACCORDANCE WITH PHONCON WITH PEARL HARBOR NAVAL SHIPYARD. MANEUVERING ON VARIOUS COURSES AND SPEEDS TO CLEAR BERTH BRAVO FIVE. 1810 COMMENCED MANEUVERING ON VARIOUS JOH

APPROVED: C C Reed LT U.S.N. COMMANDING

EXAMINED: J L Walker LT(jg) U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ (Day) 3 (Date) _____ (Month) , 19 _____

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY	WEATH-ER	BAROM-ETER	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)	(Miles)	(Sym-bols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED
0000–2400

FUEL CONSUMED
0000–2400

REMARKS

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP USS ABNAKI ATF 96 TUESDAY (Day) 2 (Date) APRIL (Month), 19 63

16-20 (CONT) COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 1825 COMMENCED MANEUVERY ON VARIOUS COURSES AND SPEEDS TO APPROACH AND MOOR IN BERTH BRAVO EIGHT US NAVAL SHIP YARD PEARL HARBOR HAWAII 1842 MOORED STARBOARD SIDE TO IN BERTH BRAVO EIGHT PEARL HARBOR NAVAL SHIPYARD WITH STANDARD MOORING LINES DOUBLED. SECURED SPECIAL SEA DETAIL. 1900 SET MODIFIED CONDITION YOKE THRU OUT THE SHIP.

JE Horton
Ens USN

20-24 MOORED AS BEFORE.

JE Horton
Ens USN.

APPROVED:

C C Reed Lt U.S.N. COMMANDING

EXAMINED:

R L Walker Lt (jg) U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE WEDNESDAY (Day) 3 (Date) APRIL (Month), 19 63

AT/~~PASSAGE FROM~~ PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	310	1	5	R	2989	68	67	10	350	ST			
02	310	2	4	R	2990	68	67	10	350	ST			
03	320	1	3	R	2990	69	68	10	350	ST			
04	320	2	3	R	2990	69	68	10	350	ST			
05	320	2	5	R	2990	69	68	10	350	ST			
06	320	1	5	R	2990	69	69	10	350	ST			
07	320	1	8	R	2992	71	70	10	350	ST			
08	330	1	8	OVC	2992	71	70	10	350	ST			
09	330	1	8	OVC	2992	71	70	10	350	ST			
10	335	1	2	OVC	2992	79	73	10	2450	ST			
11	335	1	7	OVC	2993	79	75	10	1400	ST			
12	350	3	8	R	2993	80	78	10	700	ST			
13	350	3	7	R	2992	80	79	10	350	ST			
14	340	1	7	R	2992	80	78	10	700	ST			
15	340	3	8	OVC	2992	79	77	10	700	ST			
16	335	1	7	OVC	2992	74	72	7	2450	ST			
17	335	1	7	OVC	2992	74	72	7	2450	ST			
18	355	2	6	OVC	2994	76	72	4	1400	ST			
19	350	2	5	OVC	2992	75	71	4	1400	ST			
20	100	2	4	OVC	2992	75	73	2	2000	ST			
21	180	3	8	L	2995	77	73	10	1400	ST			
22	180	3	8	R	2995	77	73	10	1400	ST			
23	180	3	8	R	30.00	77	73	10	1400	ST			
24	180	3	4	L	30.00	67	68	10	350	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

432

REMARKS

ØØ-Ø4 MOORED STARBOARD SIDE TO IN BERTH BRAVO EIGHT, US NAVAL SHIPYARD, PEARL HARBOR HAWAII, WITH STANDARD MOORING LINES DOUBLED. RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. MODIFIED CONDITION YOKE SET THRU OUT THE SHIP. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA ~~HQ~~ IS CINCPAC FLT. JEH

JE Horton
Ens USN

Ø4-Ø8 MOORED AS BEFORE Ø75Ø MUSTERED CREW AT QUARTERS: ABSENTEES NONE.

JE Horton
Ens USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: A. L. Walker 463 U.S.N.R. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY 3 APRIL 1963
(Day) (Date) (Month)

0B-12: MOORED AS BEFORE. 0912 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

W. L. Swan, LTJG, USNR

12-16: MOORED AS BEFORE. 1300 EXERCISED THE CREW AT GENERAL QUARTERS. 1346 SECURED FROM GENERAL QUARTERS EXERCISE.

W. L. Swan, LTJG, USNR

16-20: MOORED AS BEFORE. SET MODIFIED MATERIAL CONDITION YOKE. 1815 HELD FIRE DRILL, PROVIDE. 1830 SECURED FROM FIRE DRILL.

W. L. Swan, LTJG, USNR

20-24: MOORED AS BEFORE.

W. L. Swan, LTJG, USNR

APPROVED: C. C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker Lt(JG) U.S.N.R. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE THURSDAY 4 APRIL (Day) (Date) (Month), 19 63

AT/PASSAGE FROM PEARL HARBOR, HAWAII ~~TO~~ TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	180	3	4	L	30.02	67	68	10	350	ST			
02	180	1/2	5	L	29.98	67	68	10	350	ST			
03	160		5	L	29.96	67	66	10	350	ST			
04	165	2	5	L	29.94	68	66	2	700	ST			
05	165	2	6	L	29.94	68	66	2	700	ST			
06	160	3	6	L	29.92	68	67	2	700	ST			
07	160	3	7	L	29.90	70	68	3	1050	ST			
08	170	3	10	BKN	29.95	75	73	6	1050	SC			
09	160	3	10	BKN	30.00	79	76	6	1050	SC			
10	160	3	10	BKN	30.01	83	77	6	2100	SC			
11	160	3	10	BKN	30.02	85	77	7	2800	SC			
12	160	3	10	BKN	30.02	85	76	7	2800	SC			
13	140	5	10	BKN	30.00	84	76	8	2800	SC			
14	140	5	10	BKN	30.01	80	77	8	2100	SC			
15	140	7	10	BKN	30.00	85	75	7	2100	SC			
16	140	8	10	BKN	30.00	86	75	8	2100	ST			
17	130	7	10	BKN	30.01	86	74	8	2100	ST			
18	130	7	10	BKN	30.01	86	74	8	1050	ST			
19	130	7	10	BKN	30.01	85	74	8	1050	ST			
20	130	7	2	BKN	30.02	75	72	8	1050	ST			
21	130	7	2	BKN	30.02	75	72	8	1050	ST			
22	120	3	1	BKN	30.03	75	72	8	1050	ST			
23	120	5	1	BKN	30.03	70	70	8	1050	ST			
24	130	5	1	BKN	30.03	70	70	8	1050	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 43

FUEL CONSUMED 0000-2400: 440

REMARKS

00-04: MOORED STARBOARD SIDE TO BERTH B-8, U.S. NAVAL SHIPYARD, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. RECEIVING FRESH WATER AND TELEPHONE SERVICES FROM THE PIER. MODIFIED MATERIAL CONDITION YOKE IS SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

W. W. Swan, LTJG, USNR

04-08: MOORED AS BEFORE. 0725 MUSTERED THE CREW ON STATIONS; ABSENTEES NONE. 0730 SET THE SPECIAL SEA AND ANCHOR DETAIL. 0746 UNDERWAY IN ACCORDANCE WITH VERBAL ORDERS FROM PORT CONTROL. CAPTAIN AND NAVIGATOR ON THE BRIDGE. OOD HAS THE CONN. DRAFT FORWARD 14'9", AFT 15'9". MANEUVERING AT VARIOUS COURSES AND SPEEDS TO CLEAR BERTH. 0756 MANEUVERING AT VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL.

W. W. Swan, LTJG, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: L. L. Walker LtJG U.S.N.R NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF96 THURSDAY (Day) 4 (Date) APRIL (Month), 1963

08-12: UNDERWAY AS BEFORE. 0810 PASSED BOUY #9 ABEAM TO STARBOARD; DISTANCE 150 FEET. 0820 PASSED BOUY #1 ABEAM TO STARBOARD, DISTANCE 300 FEET. COURSE 154°, SPEED 9.5 KTS. 0823 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. 0824 C/C to 155° ~~C/S to~~ 0827 C/S to 6.7Kts C/C to 191°; 0831 C/C 281¾°; 0847 C/S to A/A 14.7Kt, 2/3 6.7Kts; 0850 C/S to 3.3Kt 0852 C/S to 6.7Kts; 0853 C/S to 3.3Kts 0854 Daily inspection made of magazines and smokeless powder samples conditions normal. 0904 C/S to 6.7Kts, C/S to 3.3Kts, 0912 C/C to 326¾°; 0925 C/S to 3.3Kts, 0941 C/C to 101°; 0948 C/C to 011°; 0953 C/S to 3.3Kts; 1003 C/C to 191°; 1010 C/C to 326; 1015 C/C to 281°; 1023 C/S to 6.7Kts, C/C to 101°; C/S to 3.3Kts; 1025 motor room reports fire in boiler flats under controll and put out. 1028 Fire in boiler flats only electrical smoke. 1030 C/S to 6.7Kts, 1032 C/C to 326°, C/C to 236; 1054 C/C to 281°; 1056 C/S to 6.7Kts; 1059 C/C to 296, C/S to 3.3Kts, 1103 C/C to 311°; 1110 C/C 341° 1117 C/S to 6.7Kts 1122 C/C to 257°; 1130 C/C to 221°; 1135 C/S to 9.3Kts 1136 C/S to 6.7Kts; 1140 C/C to 191°, C/S to 3.3Kts; 1147 C/C to 171° 1205 C/C to 116°; 1209 C/C to 101°.

Robert M Turner Ens USNR

12-16 UNDERWAY AS BEFORE COMPENSATING COMPASS 1256 COMPLETED SWINGING SHIP C/C TO 305° C/S TO 6 KNOTS 1300 COMMENCED MANEUVERING ON VARIOUS COURSES AND SPEEDS WHILE CONDUCTING MEASURED MILE RUNS 1514 COMPLETED RUNNING MEASURED MILE C/C TO 090° C/S TO 12 KNOTS 1526 COMMENCED MANEUVERING ON VARIOUS COURSES AND SPEED TO OBTAIN TACTICAL DATA

L E Harton
Ens USN

16-18 ~~16-20~~: UNDERWAY AS BEFORE. 1734 COMPLETED TACTICAL DATA MANEUVERS. 1735 C/S 9.5 KTS. MANEUVERING TO RECOVER CROWN BOUY. 1739 RECOVERED BOUY C/S 9.5 KTS. 1741 C/C 090°.

H Hofman, LTJG, USNR

18-20 Underway as before: 1803 Captain and the navigator are on the Bridge set the special sea and anchor detail. 1806 C/C 325°. 1807 C/S 9.5Kts. 1811 C/C 333°. 1817 passed #2 sea Bouy 200 Ft. to stbd. abeam. Steering various courses + speeds for safe navigation of Pearl Harbor Channel + Harbor. 1830 moored port side to Berth alpha Fine (A-5) US Naval Station, Pearl Harbor, Hawaii. Four US Std. mooring lines doubled. #1 S/S gen. supplying power + lighting. 1835 Secured special sea + anchor detail.

J.C. Hollis. CWO 2, USN

20-24 Moored as before. 1845 Secured master Gyro Compass.

J.C. Hollis. CWO 2, USN

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: B L Walker LtJG U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE FRIDAY (Day) 5 (Date) APRIL (Month), 1963

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	130	3	1	BKN	30.03	69	70	8	1050	ST			
02	130	2	1	BKN	30.03	69	70	8	1050	ST SC			
03	130	1	1	BKN	30.00	69	70	8	350	ST.			
04	130	2	1	BKN	29.98	70	68	8.	700	ST			
05	130	1	3	BKN	29.98	71	69	8	700	ST			
06	130	1	4	BKN	29.98	71	69	8	700	ST			
07	130	1	5	OVC	30.00	72	69	10	1000	ST			
08	130	2	7	OVC	30.00	72	69	10	1000	SC			
09	150	2	7	BKN	30.00	72	69	7	1000	SC			
10	150	3	10	BKN	29.99	75	71	7	2450	CU			
11	150	3	10	BKN	29.99	75	71	8	2450	CU			
12	140	7	10	BKN	29.98	78	71	7	2450	CU			
13	140	7	10	BKN	29.98	82	75	8	2450	CU			
14	130	7	10	BKN	29.98	82	75	8	2450	CU			
15	120	5	10	BKN	29.97	82	75	9	2450	CU			
16	130	10	10	BKN	29.97	82	74	6	2900	CU/CU			
17	100	1	10	BKN	29.96	81	73	10	2800	CU			
18	080	1	10	BKN SCT	29.97	81	73	4	2800	CU			
19	080	1	10	BKN SCT	29.97	80	73	4	2450	CU			
20	050	1	10	SCT	29.98	78	73	4	1750	CU			
21	030	1	10	SCT	29.98	78	72	3	2100	CU			
22	040	1	10	SCT	29.97	78	72	3	2100	CU			
23	020	1	10	SCT	29.98	76	72	3	1400	CU			
24	020	1	10	SCT	29.97	76	72	3	1400	CU			
	~~010~~	~~1~~	~~10~~										

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

528

REMARKS

00-04 moored port side to Alfa Five (5) Berth U.S. Naval Station, Pearl Harbor, Hawaii, using Four (4) Stbd mooring lines doubled. #1 S/S generator furnishing ships power + lights. Telephone service from the pier. Condition ~~two~~ Yoke modified set. Ships present include Various units of the U.S. Pacific Fleet, District + Small Craft. S.O.P.A. is CinCPac Flt.

J.L. Hollis, CWO2, USN

04-08 moored as before: 0750 mustered the crew at Quarters! no unauthorized absentees; none.

J.L. Hollis, CWO2, USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Walker Lt(jg) U.S.N.R NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Friday (Day) 5 (Date) April (Month), 1963

08-12 Moored as before. 0940 made daily inspection of magazine and smokeless powder samples, conditions normal.

Robert M. Turner Ens USNR

12-16 Moored as before.

Robert M Turner Ens USNR

16-20 Moored as before. 1800 set material condition "Yoke" main deck and below.

Robert M Turner Ens USNR

20-24 Moored as before

Robert M. Turner Ens USNR

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R L Walker LT(jg) U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 W DATE Saturday (Day) 6 (Date) April (Month), 19 63

AT/~~PASSAGE~~ FROM Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	290	1	10	CLR	29.98	75	71	—	—	—	—	—	—
02	290	3	10	CLR	29.98	74	70	—	—	—	—	—	—
03	290	2	10	SCT	29.96	73	70	4	1000	AC	—	—	—
04	335	2	10	SCT	29.96	73	70	4	1000	CU			
05	335	1	10	SCT	29.95	74	70	4	1400	CU			
06	000	+	7	BKN	29.95	74	70	6	1400	SC			
07	000	+	7	BKN	29.95	75	71	7	1400	SC			
08	000	+	7	OVC	29.95	76	71	10	1750	ST			
09	010	+	8	OVC	29.96	76	71	10	1750	ST			
10	015	1	8	OVC	29.96	76	71	9	1750	ST			
11	030	1	8	OVC	29.96	77	72	9	1750	ST			
12	030	1	8	OVC	29.96	77	72	9	1750	ST			
13	030	1	8	OVC	26.96	78	73	9	1750	ST			
14	040	2	8	OVC	29.96	78	73	9	1750	ST			
15	040	2	8	BKN	29.96	79	74	7	1750	ST			
16	050	2	7	BKN	29.94	79	74	7	1750	ST			
17		3	7	BKN	29.96	78	73	7	1750	ST			
18	160	3	6	OVC	29.95	78	73	7	1750	ST			
19	290	3	6	OVC	29.94	78	73	9	1750	ST			
20	290	2	4	OVC	29.97	78	73	8	1700	ST			
21	290	2	9	OVC	29.94	78	73	8	1750	ST			
22	290	2	9	OVC	29.94	78	73	8	1750	ST			
23	290	2	9	OVC	29.94	76	73	8	1450	ST			
24	290	2	9	OVC	29.93	79	73	8	350	ST			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

953

REMARKS

00-04 moored port side to berth Alfa five A-5 US Naval Station Pearl Harbor Hawaii using four (4) standard nylon mooring lines doubled up. Receiving fuel, water, and telephone service from the pier. Ships present include various units of the US Pacific Fleet and various yard and district craft. Material condition Yoke is set throughout the ship. SOPA is Cin Cpac Flt.

Robert M Turner EM3 USN

04-08 moored as before. 0745 mustered crew on station. Absentees, none.

Robert M Turner EM3 USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: A L Walker LT(jg) U.S.N.R NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 SATURDAY (Day) 6 (Date) APRIL (Month), 1963

0800-1200 MOORED AS BEFORE. 0800 MADE DAILY INSPECTION OF MAGAZINES AND SMOKLESS POWDER SAMPLES: CONDITIONS NORMAL.

J E Horton
Enn USN

1200-1600 MOORED AS BEFORE

J E Horton
Enn USN

1600-2000 MOORED AS BEFORE. 1800 MODIFIED CONDITION YOKE SET THRU OUT THE SHIP.

J E Horton
Enn USN

2000-2400 ~~MOORED~~ MOORED AS BEFORE

J E Horton
Enn USN.

JEH

APPROVED:

C C Reed Lt. U.S.N. COMMANDING

EXAMINED:

R L Walker Lt (jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION +10 DATE SUNDAY (Day) 7 (Date) APRIL (Month), 19 63

AT/~~PASSAGE FROM~~ PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	290	2	4	OVC	29.93	74	73	8	350	ST			
02	280	2	4	OVC	29.93	74	73	8	350	ST			
03	290	1	3	OVC	29.93	77	73	8	350	ST			
04	330	1	4	OVC	29.92	73	70	8	1050	ST			
05	330	1	4	OVC	29.92	73	70	8	1050	ST			
06	000	3	5	OVC	29.92	73	70	8	1050	ST			
07	000	4	6	BKN	29.94	74	71	8	1050	ST			
08	000	10	7	BKN	29.93	79	75	8	1050	ST			
09	010	2	8	BKN	29.93	80	76	7	2100	CU			
10	015	2	8	SCT	29.92	82	78	5	2100	CU			
11	015	2	8	SCT	29.92	85	79	5	2100	CU			
12	030	3	9	SCT	29.92	88	82	5	2100	CU			
13	030	3	9	SCT	29.91	90	83	5	2450	CU			
14	040	4	9	SCT	29.90	90	83	4	2450	CU			
15	040	4	9	SCT	29.90	92	84	4	2800	CU			
16	050	4	9	SCT	29.90	91	83	4	2800	CU			
17	050	4	9	SCT	29.91	90	80	4	3500	CU			
18	050	4	9	SCT	29.93	85	78	4	3400	CU			
19	050	3	9	SCT	29.93	81	76	4	2100	CU			
20	060	2	9	SCT	29.95	75	73	4	700	CU			
21	060	2	9	SCT	29.95	75	73	4	700	CU			
22	060	2	8	SCT	29.96	76	73	3	1050	CU			
23	060	2	8	SCT	29.96	75	72	3	1050	CU			
24	060	2	8	SCT	29.95	75	72	3	1050	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400 —

REMARKS

00-04 MOORED PORT SIDE TO IN BERTH ~~BRAVO~~ ALPHA PCH FIVE US NAVAL STATION, PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES DOUBLED. MODIFIED CONDITION YOKE SET THRU OUT THE SHIP. RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINC PAC FLT

L E Horton
Ens USN

04-08 MOORED AS BEFORE.

L E Horton
Ens USN

APPROVED: C C Read Lt. U.S.N. COMMANDING

EXAMINED: R L Walker LT(jg) U.S.N.R NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 7 (Date) APRIL (Month), 19 63

0800-1200: MOORED AS BEFORE. 0800 MUSTERED THE DUTY SECTION ON STATIONS; ABSENTEES NONE. 0930 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

W. L. Swan, LTJG, USNR

1200-1600: MOORED AS BEFORE.

W. L. Swan, LTJG, USNR

1600-2000: MOORED AS BEFORE. 1800 SET MODIFIED MATERIAL CONDITION YOKE.

W. L. Swan, LTJG, USNR

2000-2400: MOORED AS BEFORE

W. L. Swan, LTJG, USNR.

APPROVED: C. C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walter Lt (jg) U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE MONDAY (Day) 8 (Date) APRIL (Month), 19 63

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	065	2	8	set	29.96	75	72	3	1000	cu			
02	070	2	8	set	29.95	74	71	3	1000	sc			
03	075	2	10	BKN	29.94	73	70	3	1000	sc			
04	080	1	10	BKN	29.92	73	70	6	1000	sc			
05	~~0400~~	2	10	BKN	29.92	73	70	7	1000	sc			
06	100	2	10	BKN	29.92	74	70	7	1000	sc			
07	120	3	10	BKN	29.93	75	71	8	1200	sc			
08	120	3	10	BKN	29.93	76	71	8	1200	sc			
09	125	3	10	BKN	29.93	77	72	9	1400	sc			
10	140	4	10	BKN	29.93	77	73	9	2100	sc			
11	145	4	10	BKN	29.95	78	74	10	2100	sc			
12	170	4	10	BKN	29.94	83	75	10	2800	sc			
13	160	5	10	OVC	29.94	83	75	10	2800	sc			
14	180	4	10	OVC	29.94	79	75	10	1400	st			
15	190	4	10	OVC	29.92	79	73	10	2100	sc			
16	190	5	15	BKN	29.92	79	73	10	2100	sc			
17	160	3	12	BKN	29.92	79	73	8	2100	sc			
18	155	3	10	BKN	29.91	78	73	8	1400	sc			
19	155	2	7	BKN	29.91	78	74	7	1200	sc			
20	150	3	7	BKN	29.92	78	74	7	1000	sc			
21	155	3	7	BKN	29.93	77	74	8	1000	sc			
22	155	2	7	BKN	29.94	77	74	8	1000	sc			
23	155	2	7	BKN	29.95	76	74	7	1400	sc			
24	155	1	7	BKN	29.96	75	72	6	1400	sc			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 21

FUEL CONSUMED 0000-2400: 950

REMARKS

0000-0400: MOORED PORT SIDE TO BERTH A-5, U.S. NAVAL STATION, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. RECEIVING FRESH WATER AND TELEPHONE SERVICES FROM THE PIER. MODIFIED MATERIAL CONDITION YOKE IS SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

W. L. [illegible], LTJG, USNR

0400-0800: MOORED AS BEFORE. 0735 MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE. ~~0800~~ 0745 OPERATIONAL CONTROL U.S. OF THIS SHIP PASSED FROM COMSERVPAC TO COMFLETRAGRU PEARL FOR 3 WEEKS REFRESHER TRAINING.

W. L. [illegible], LTJG, USNR

APPROVED: C. C. Reed Lt U.S.N. COMMANDING

EXAMINED: R. L. Walker LTJG U.S.N.R NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Monday (Day) 8 (Date) April (Month), 1963

08-12 Moored as before: 0930 made daily inspection of magazines and Smokeless powder samples. Conditions normal. 1130 set material condition yoke 02 deck and below. 1200 set the special sea and anchor detail.

J.L. Hollis CWO 2, USN

12-16 Moored as before: 1228 Underway. Captain has the conn, navigator on the bridge - IAW COMFLTRAGP OPORD. 15-63 to local ops. area. 1230 relieved the captain of the conn. Steering various courses & speeds for safe navigation ~~th~~ of the charted Harbor & channel. 1249 passed buoy abeam to stbd. 200 ft. C/C 154° - speed 8.0 Kts. 1300 intered Inter-National Waters. Commence holding Sectional Drills - Flt Tra GP Observers aboard. Relieved of the conn by Ens. Turner. 1255 C/C to 155; Enter mine field and maneuver various courses & speeds to comply. 1325 C/C 150° C/S to 9 Kts J.L. Hollis. CWO 2, USN. JLH

12-16 (CONT) ~~Got~~ UNDERWAY AS BEFORE. 1341 COMMENCED STEERING ON VARIOUS COURSES AND SPEED WHILE CONDUCTING FLEET TRA GROUP BATTLE PROBLEM 1458 SECURED FROM GENERAL QUARTERS AND FLT TRA GROUP BATTLE PROBLEM ON COURSE 345° A/A 3.3 KNOTS. SET SPECIAL SEA AND ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE 1500 C/C TO 335° 1505 PASSED BOUY TWO ABEAM TO STBD APROX 100 FT. COMMENCED STEERING VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL 1516 PASSED BOUY SIX ABEAM TO STBD APROX 100 FT. COMMENCED MANEUVERING ON VARIOUS COURSES AND SPEEDS TO APPROACH AND MOOR IN BERTH ALPHA FIVE OUT BOARD OF USS BOLSTER (ARS-38) 1527 MOORED IN BERTH ALPHA FIVE PORTSIDE TO ~~IN B~~ OUTBOARD OF USS BOLSTER (ARS-38) 1530 SECURED SPECIAL SEA DETAIL LEH

L.E. Horton
Ens USN.

~~20-24~~ JLH

16-20 Moored as before. 1800 set condition yoke modified through out the ship.

J.L. Hollis. CWO 2, USN

20-24 Moored as before:

J.L. Hollis. CWO 2, USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: J L Walker LH(jg) U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE Tuesday (Day) 9 (Date) April (Month), 19 63

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	—	—	5	OVC	2992	76	73	10	1050	SC			
02	—	—	5	OVC	2991	75	72	10	1050	SC			
03	—	—	5	OVC	2991	75	71	10	1050	SC			
04	—	—	5	BKN	2991	75	71	8	1400	SC			
05	000	1	5	SCT	2992	75	71	5	1400	SC			
06	000	2	5	SCT	2991	74	70	5	1400	SC			
07	000	3	5	SCT	2991	74	70	4	1400	SC			
08	030	4	5	BKN	2991	77	72	8	1750	SC			
09	050	5	5	BKN	2991	79	72	7	2400	SC			
10	070	5	10	BKN	2992	80	73	7	2400	SC			
11	100	5	10	OVC	2993	82	74	10	2750	SC			
12	140	~~170~~ 4	10	OVC	2994	83	75	10	2750	SC			
13	150	5	10	OVC	2994	84	75	10	3000	SC			
14	170	4	10	OVC	2994	79	75	10	1400	ST			
15	180	4	10	BKN	2992	79	75	8	1400	SC			
16	190	5	10	BKN	2992	79	73	8	2100	SC			
17	160	3	10	BKN	2992	79	73	7	2100	SC			
18	155	3	10	BKN	2991	78	74	8	1400	SC			
19	155	2	10	BKN	2991	78	74	6	1400	SC			
20	150	3	7	BKN	2992	78	74	6	1400	SC			
21	155	3	7	BKN	2993	77	74	6	1050	SC			
22	155	2	7	BKN	2994	77	74	6	1050	SC			
23	155	2	7	BKN	2995	76	72	7	1400	SC			
24	155	1	7	BKN	2996	76	70	8	1400	SC			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 39

FUEL CONSUMED 0000-2400: 112

REMARKS

00-04 Moored outboard and port side to U.S.S. BOLSTER (ARS-38) at Berth Alpha 5, U.S. Naval station, Pearl Harbor, Hawaii, using Four (4) std. mooring lines doubled. #1 S/S generator supplying ships power and lighting. Material condition yoke modified set. Receiving telephone service from the pier. Ships present include various units of the U.S. Pacific Fleet, District and Small Craft. S.O.P.A. is CinCPac Flt.

Jul. Hollis. CWO2, USN

04-08 Moored as before; 0650 mustered the crew on stations, unauthorized absentees: None. 0700 set special sea and anchor detail. 0730 underway IAW FLTRAGP OPORD. 15-63 - Beach Gear exercise in North channel area, Captain + navigator on the Bridge. Steering various courses and speed to conform to the Charted Channel & Harbor. Flt. Tra. Gp. observers aboard. 0757 #2 MWB in the water.

Jul. Hollis. CWO 2. USN.

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R L Walker Lt(jg) U.S.N.R NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 TUESDAY (Day) 9 (Date) APRIL (Month), 1963

08-12 Underway as before. 0809 Captain has the Conn. 0821 let go the stbd anchor in 30 fathoms, water mud bottom. Maneuvering to lay two (2) point mooring. 0907 moored fore + aft. on bngs- 300°— 120°— 0908 Unrigging moorings. Steering Various Courses + speeds while recovering Mooring Gear. 1017 Underway, Steering Various Courses + speeds to conform to the Charted Channel. 1021 Made Daily inspection of Magazines and Smokeless powder. Samples, Conditions normal. 1044 Completed Black gun Exercise, Underway to sea to Local ops, area. Captain and Navigator on the Bridge. 1112 #2 MWB hoisted in to the rail. 1135 Passed Sea buoy #11 to stbd. 2007 ft. 1146 passed Buoy #3 abeam to stbd. 2007 ft. Base Course 153° Speed 12.3 Kts. 1148 secured the Special sea and Anchor detail. 1152 Ens. Turner has the Conn. C/S 6. Kts. 1154 A/Stop- C/S 6 Kts. 1201 entered into International Waters.

J. L. Wallis. CWO 2, USN

12-16. Underway as before, 120° C/C to 110° 1253 Sounded General Quarters (Drill) Ens Turner has the Deck and the Conn

Robert M Turner Ens USN

12-16 (Cont) UNDERWAY AS BEFORE. 1253 EXERCISED CREW AT GENERAL QUARTERS 1256 C/C TO 150° 1257 C/C TO 270° 1352 C/S TO 3.3 KNOTS 1354 C/C TO 090° C/S TO 12.5 KNOTS 1400 COMMENCED MANEUVERING ON VARIOUS COURSES AND SPEED WHILE CONDUCTING TATICIAL EXERCISES WITH USS DELIVER (ARS-)

J E Harton
Ens USN

16-20 UNDERWAY AS BEFORE CONDUCTING TATICIAL EXERCISES 1607 SECURED FROM TATICIAL EXERCISES ON COURSE 270° SPEED 12.3 KNOTS 1608 COMMENCED MANEUVERING ON VARIOUS COURSES AND SPEED WHILE CONDUCTING MAN OVER BOARD EXERCISES 1625 SECURED FROM MAN OVER BOARD EXERCISE A/A 3.3 KNOTS B/C 320° 1626 13 KNOTS 1644 C/C 330° C/S TO 12.3 KNOTS 1647 SET SPECIAL SEA AND ANCHOR DETAIL CAPTAIN AND NAVIGATOR ON THE BRIDGE OOD HAS THE CONN 1649 PASSED BOUY TWO ABEAM TO STBD APPROX 100 FT A COMMENCED MANEUVERING ON VARIOUS COURSES TO CONFORM WITH PEARL HARBOR CHANNEL 1658 PASSED BOUY SIX ABEAM TO STBD. MANEUVERING ON VARIOUS COURSES AND SPEEDS TO APPROACH AND MOOR IN BERTH ALPHA FIVE. 1707 MOORED PORTSIDE TO IN BERTH ALPHA FIVE US NAVAL STATION, PEARL HARBOR HAWAII 1711 SECURED SPECIAL SEA AND ANCHOR DETAIL

J E Harton
Ens USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Wallis LT USN U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ , 19 _____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED: EXAMINED:

_____ U.S.N. COMMANDING _____ U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Tuesday (Day) 9 (Date) April (Month), 1962

20-24 moored as before.

Robert M. Turner Ens USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Walker Lt(jg) U.S.NR NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKE (ATF-96) ZONE DESCRIPTION +10 DATE Wednesday (Day) 10 (Date) April (Month), 19 63

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	330	4	4	OVC	29.96	75	73	10	700	SC			
02	335	4	5	BKN	29.94	74	72	8	700	CU/SC			
03	000	3	5	BKN	29.93	74	71	8	1050	CU/SC			
04	050	3	5	BKN	29.93	73	69	8	1400	SC			
05	060	3	5	BKN	29.93	74	71	7	1050	SC			
06	300	5	6	BKN	29.93	73	70	7	1050	SC			
07	270	2	7	BKN	29.93	74	71	7	1050	SC			
08	270	2	7	BKN	29.93	82	74	7	1050	SC	81	CALM	
09	180	7	9	BKN	29.44	82	76	7	2800	SC	81	CALM	
10	190	4	10	BKN	29.94	82	76	7	2100	SC	81	CALM	
11	150	4	10	BKN	29.93	82	76	7	2100	SC	81	CALM	
12	100	5	10	BKN	29.93	84	78	8	2100	SC	81	CALM	
13	070	5	10	BKN	29.92	85	79	8	2100	CU	81	CALM	
14	000	3	10	BKN	29.91	86	80	8	2100	CU	81	CALM	
15	330	4	10	BKN	29.90	84	80	8	1400	CU	81	CALM	
16	340	6	10	BKN	29.90	83	74	8	3100	CU	82	CALM	
17	350	3	4	RW	29.90	81	80	10	350	ST	82	CALM	
18	000	2	4	RW	29.90	81	80	10	350	ST			
19	010	1	7	OVC	29.92	79	75	10	1400	SC			
20	010	1	4	BKN	29.94	77	73	8	1400	CU			
21	010	1	4	BKN	29.94	77	73	8	1400	CU			
22	010	1	3	BKN	29.93	76	73	8	1050	CU			
23	010	1	2	BKN	29.93	76	73	8	1050	CU			
24	010	1	2	BKN	29.93	75	72	8	1050	CU			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 104

FUEL CONSUMED 0000-2400: 1574

REMARKS

00-04 Moored portside to berth Alfa Five (A-5) ~~and~~ RT
US Naval Station Pearl Harbor, using four (4) standard nylon mooring lines doubled up. Recieving fresh water and Telephone service from the pier. Ships present include various units of US Pacific fleet, various yard and district craft. Material condition "Jake" is set throughout the Ship. SOPA is CinC Pac-Ht.

Robert M. Turner Ens USNR

04-08 Moored as before. 0648 mustered crew at quarters; absentees none. 0717 Captain & Navigator on the bridge. OOD has the Conn. 0724 L/25° Rudder, 1725 R/midships. A/B 2/3 RJ
Underway from berth Alfa Five (A-5) IAW COMFLTRAGRU OPORD 15-63 to Local ops area 0727 all stop, maneuvering various courses at various speeds & navigate Pearl Harbor channel to seaward. 0740 Passed sea bouy #1 abeam

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: B L Walker LT(jg) U.S.N.R NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Wednesday (Day) 10 (Date) APRIL (Month) 19 63

04-08 to Starboard approx 150ft; 0741 C/S to 12.3Kts, C/C to 203° 0742 C/S to 14.3 Kts; 0754 Set Condition Zebra main deck and below 0900

Robert M Turner Ens USNR

08-12 Underway as before. 0900 C/S to 6.7Kts; 0901 C/S to All stop, 0902 C/S to 11.3Kts; 0942 C/C to 350°; 0955 Lt (sg) Swan has the Conn & the deck 1017 C/C To 025° 1024 C/C 330° 1031 C/C 230° C/S TO 7.7 KNOTS 1045 EXERCISED CREW AT GENERAL QUARTERS 1055 COMMENCED GUNNERY EXERCISE Z-2-G. 1102 COMPLETED Z-21-G EXPENDED 12 ROUNDS BL+P 3"/50 AMMO.

Robert M Turner Ens USNR

12-16 Underway as before; 1323 C/S 11.8Kts. 1352 Held steering Casualty drill. 1402 Secured from Steering Casualty drill. 1410 General Quarters drill Sugaino. Ens Horton Has the Conn. 1415 Condition Zebra Set, 1417 C/C 160°, 1424 C/C 090°. 1433 Commenced Exercise Z-3-G-, Steering Various courses and speeds while conducting exercises. 1525 Secured from Exercise Z-3-G. & Expended Twenty Three (23) rounds of Ammunition. 1527 Secured from General Quarters. 1528 C/C 346°. 1531 C/S 3.3Kts. 1533 C/S 9.5 Kts. 1534 Steering Various Courses & speeds while picking up Target Sleeve. 1541 C/S 9.5Kts. C/C 345°. C/S 13.5Kts. 1545 CWO. Hollis has the Conn and Deck. 1550 Ens Turner has the Conn and the Deck.

Jack Hollis, CWO2 USN

16-20 Underway as before; 1600Z C/C to 000° 1725 Ens Horton has the Conn

Robert M Turner Ens USNR

16-20 (Cont) 1714 C/C 297° 1749 C/C TO 334° 1750 SET SPECIAL SEA DETAIL CAPTAIN AND NAVIGATOR ON THE BRIDGE, OOD HAS THE DECK AND CONN. 1751 ENTERED INLAND WATERS 1752 C/C TO 335° 1753 C/C TO 337° C/S TO 9.5 KNOTS 1800 PASSED BOUY #2 ABEAM TO STARBOARD APPROX 100 FT. COMMENCED MANEUVERING ON VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 1810 PASSED BOUY SIX ABEAM TO STBD APPROX 150 FT. COMMENCED MANEUVERING ON VARIOUS COURSES AND SPEEDS TO APPROACH AND MOOR IN BERTH ALPHA TWO OUTBOARD OF USS TAWAKONI (ATF-114) 1817 MOORED IN BERTH ALPHA TWO, OUT BOARD USS TAWAKONI (ATF-114), US NAVAL STATION PEARL HARBOR, HAWAII 1823 SECURED SPECIAL SEA AND ANCHOR DETAIL. SET MODIFIED CONDITION YOKE THRU OUT THE SHIP.

Leslie E. Horton
Lieut USN.

20-24 MOORED AS BEFORE

Leslie E Horton
Lieut USN.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Walker Lt (SC) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE THURSDAY (Day) 11 (Date) APRIL (Month), 19 63

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	010	1	3	BKN	29.93	75	72	8	1050	CU			
02	010	1	4	BKN	29.92	74	71	8	1050	CU			
03	010	2	5	BKN	29.91	73	70	7	1050	CU			
04	015	2	6	BKN	29.90	73	70	7	1050	CU			
05	015	3	6	BKN	29.90	74	71	7	1050	CU			
06	020	3	6	BKN	29.90	75	72	7	1050	CU			
07	080	1	10	BKN	29.91	77	71	7	2100	SC	78	CALM	
08	050	5	10	BKN	29.92	78	72	8	2100	SC	78	CALM	
09	050	5	10	BKN	29.92	78	72	8	2100	SC	74	CALM	
10	060	3	10	BKN	29.92	81	75	8	2100	SC	74	CALM	
11	070	1	10	BKN	29.92	81	74	6	2450	SC	75	CALM	
12	140	1	10	BKN	29.91	83	75	7	2800	SC	76	160	.5
13	155	1	10	BKN	29.90	84	76	6	2800	SC	76	170	.5
14	155	1.5	10	BKN	29.90	84	77	6	2450	SC	77	170	.5
15	190	1	10	SCT	29.85	83	75	4	2800	CU	77	CALM	
16	195	1	9	SCT	29.85	84	75	4	2600	CU			
17	195	1	8	SCT	29.85	83	76	3	2000	CU			
18	190	1	7	CLR	29.86	83	76	2	1500	CU			
19	190	1	6	CLR	29.86	82	77	2	1000	CU			
20	—	0	5	CLR	29.86	80	78	1	700	SC			
21	—	0	8	CLR	29.87	80	78	1	700	SC			
22	—	0	8	CLR	29.88	81	79	1	700	SC			
23	—	0	8	CLR	29.88	81	79	1	700	SC			
24	—	0	4	CLR	29.85	78	76	2	750	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 56

FUEL CONSUMED 0000-2400: 600

REMARKS

0000-0400 MOORED PORTSIDE TO IN BERTH ALPHA TWO, US NAVAL STATION PEARL HARBOR, HAWAII, OUT BOARD USS TAWAKONI (ATF-114) WITH STANDARD MOORING LINES DOUBLED. RECEIVING TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. MODIFIED CONDITION V/ICE SET THRU OUT THE SHIP. SOPA IS CINC PAC FLT.

Leslie E Horton
Ens USN

0400-0800 MOORED AS BEFORE. 0650 MUSTERED CREW AT QUARTERS: ABSENTEES NONE. 0700 SET SPECIAL SEA AND ANCHOR DETAIL CAPTAIN AND NAVIGATOR ON THE BRIDGE OOD HAS THE CONN

~~L E Horton Ens USN.~~ RLW
L E Horton Ens USN.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Walker Lt(jg) U.S.N.R NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki ATF-96 Thursday (Day) 11 (Date) April (Month), 1963

04-08 (cont) Moored as before, 0703 Captain and Navigator on the bridge 0705 permission granted to get underway. 0746, A/B 80 rpm underway from berth Alfa-two (A-2) IAW ComFHTraGru opord 15-63 to local ops area 0749 ~~C~~ maneuvering various courses at various speeds to navigate Pearl Harbor channel to seaward.

Robert M Turner Eos USNR

08-12 Underway as before. 0805 passed sea bouy #1 abeam to starboard; distance 100 ft. Secured special sea and anchor detail 0815 entered International waters. Commenced steering various courses and maneuvering at various speeds to conform with tactical exercises being conducted with USS Grapple (ARS-7). 0900 made daily inspection of magazine and smokeless powder samples 0911 C/S Allstop. 0913 commenced exercise Z-6-S. USS Grapple (ARS-7) OCE. 0947 Abnaki undertow by Grapple. 1012 towing hawser cast off. 1024 Captain has the Conn. 1038 Commenced towing USS Grapple (ARS-7). 1057 towing hawser cast off. 1100 OOD has the Conn. 1103 C/S to 9.5 kts. C/C 155°. 1104 C/S to 12 kts. 1130 set replenishment detail. 1133 Commenced exercise Z-26-S. USS Grapple (ARS-7), service ship on base course 080°, base speed 8 kts. 1142 USS Grapple commenced approach to port, 1146 1st line over to port. 1153 high line connected. 1158 transfered freight with Grapple. ~~Robert M Turner Eos USNR~~ Robert M Turner Eos USNR RJ

12-16 Underway as before. 1200 disconnected high line. 1203 all lines clear to port. 1205 secured from Z-26-S. 1206 C/C to 270°. 1240 made daily inspection of magazine and smokeless powder samples conditions normal. 1307 C/C to 285°, 1332 C/C to 255. 1345 Exercising rubber docking drills. 1452 completed drill C/C 270° Robert M Turner Eos USNR

12-16 (cont) Underway as before. Exercising crew at General Quarters. Captain and Navigator on the bridge OOD has the Conn

L E Horton
Eos USN

16-20 Underway as before. 1625 C/C To 350° 1643 C/C To 000° 1702 Set Condition Yoke. 1709 Secured from General Quarters.

L E Horton
Eos USN

16-20 (cont) 1718 C/S 9.5 kts. C/C 345°. 1719 C/S 12.3 kts. 1724 C/C 335°, 1724 Set the Special Sea and Anchor detail. Commenced steering various courses and speeds to conform to the charted channel and harbor. 1725 passed bouy #2 abeam to starboard 50 yds. 1743 moored port side to and out board of USS Tawakoni (ATF-114) at berth Alfa two (2) US naval station Pearl Harbor Hawaii four standard lines doubled. 1752 Secured the Special sea and anchor detail #1 S/S generator supply ships power and lighting

Robert M Turner Eos USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: C L Walker Lt(JG) U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ , 19 _____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY	WEATH-ER	BAROM-ETER	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)	(Miles)	(Sym-bols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

APPROVED: EXAMINED:

_____ U.S.N. COMMANDING _____ U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Thursday (Day) 11 (Date) APRIL (Month), 1963

20-24 snoared as before.

[signature], LTJG, USNR

APPROVED: [signature] Lt U.S.N. COMMANDING

EXAMINED: [signature] Lt(ig) U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE FRIDAY (Day) 12 (Date) APRIL (Month), 19 63

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	0	0	4	BKN	~~29.85~~	79	76	8	1000	ST			
02	0	0	4	BKN	29.85	79	76	8	1000	ST			
03	0	0	4	BKN	29.86	80	77	8	1000	ST			
04	0	0	2	BKN	29.86	79	76	9	1000	ST			
05	0	0	2	BKN	29.86	75	72	9	1000	ST			
06	0	0	2	BKN	29.86	75	72	8	1000	ST			
07	0	0	6	BKN	29.86	76	72	8	1000	ST			
08	085	3	9	BKN	29.86	77	72	8	1750	ST			
09	090	5	9	BKN	29.86	77	72	6	1750	ST			
10	090	1	8	OVC	29.86	79	74	10	1750	ST	77	CALM	
11	096	1	8	OVC	29.86	80	73	10	1750	ST	77	CALM	
12	—	—	8	OVC	29.87	82	75	10	2450	ST	77	CALM	
13	030	1	8	OVC	29.86	82	76	10	2450	ST	76	CALM	
14	040	1	8	OVC	29.86	82	76	10	2450	ST	77	CALM	
15	060	1	8	OVC	29.84	81	75	10	2450	ST	75	CALM	
16	060	1	8	BKN	29.84	81	75	8	~~ST~~ 2100	ST			
17	060	2	8	BKN	29.84	80	74	8	~~ST~~ 2100	ST			
18	055	3	7	BKN	29.84	80	74	8	~~ST~~ 2100	ST			
19	055	3	6	BKN	29.83	79	73	9	2100	SC			
20	050	2	4	BKN	29.83	79	73	8	2100	CU			
21	050	2	4	BKN	29.83	78	72	8	2100	CU			
22	050	2	4	BKN	29.83	78	72	8	2100	CU			
23	056	3	4	BKN	29.84	78	72	8	2100	CU			
24	055	3	4	BKN	29.86	75	71	7	1400	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 19

FUEL CONSUMED 0000-2400: 445

REMARKS

00-04: MOORED PORT SIDE TO BERTH A-2 OUTBOARD OF USS TAWAKONI (ATF-~~96~~ 114) AT U.S. NAVAL STATION, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. RECEIVING TELEPHONE SERVICES FROM THE PIER. MODIFIED MATERIAL CONDITION YOKE SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD & DISTRICT CRAFT. SOPA IS CINCPACFLT.

W. S. Swan, LTJG, USNR

04-08: MOORED AS BEFORE. 0650 MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE. 0710 SET THE SPECIAL SEA AND ANCHOR DETAIL. 0746 UNDERWAY IN ACCORDANCE WITH COMFLETRAGRU PEARL OPORD 15-63. DRAFT FORWARD 14', AFT 16'. CAPTAIN & NAVIGATOR ON THE BRIDGE, OOD HAS THE CONN. MANEUVERING AT VARIOUS COURSES AND SPEEDS TO CONFORM WITH CLEARING BERTH AND PEARL HARBOR CHANNEL.

W. S. Swan

APPROVED: C. C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LtJG USNR NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Friday (Day) 12 (Date) April (Month), 1963

08-12: UNDERWAY AS BEFORE. 0801 PASSED BOUY #1 ABEAM TO STBD, DISTANCE 100 FT. SECURED THE SPECIAL SEA AND ANCHOR DETAIL. C/S A/A 9 KTS. C/C 154°. 0807 C/C 164°. 0812 ENTERED INTERNATIONAL WATERS. 0823 C/C 196°. 0824 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. 0834 C/C 110°. 0852 C/S 6.7 KTS. 0856 C/C 080°. 0943 C/C 343°. 1003 C/C 278°. 1006 C/S 9.5 KTS. 1007 COMMENCED ENGINEERING DRILLS. 1008 C/C 145°. 1016 C/C 130°. 1032 C/C 090°. COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONDUCTING ENGINEERING EXERCISES. 1030 CONDUCTED WEEKLY TEST OF MAGAZINE SPRINKLER SYSTEM; TEST SATISFACTORY.

H. L. Swan, LTJG, USNR

12-16 Underway as before. 1240 Exercising at Steering Casualty drill. 1255 Secured from Steering Casualty drill 1331 Exercising at Engineering drills. 1418 Secured from Engineering drills. 1422 Exercising crew at General Quarters. Maneuvering at various courses and speeds. 1520 Secured ~~at~~ from General Quarters. 1525 Exercising at Abandon ship drill 1530 Secured from Abandon Ship drill. SEH

L. E. Harton
Ens USN

12-16 Continued, 1535 C/C 210°. 1539 Held man overboard drill. Steering various courses + speeds to recover life ring. 1546 Secured from man overboard drill. C/S 6.7 Kts. 1548 C/C 307°. C/S 9.5 Kts. 1559 Set the Special Sea and Anchor detail. OOD has the conn. Captain and navigator on the Bridge.

Jal. Hollis, CWO 2, USN

16-20 ~~Moored~~ Underway as before. Base course 333°. Steering various courses and speeds, intering channel + Harbor. 1613 Passed Buoy #2 abeam to stbd 75 feet. 1628 Moored port side to and outboard of USS TAWIKONI (ATF-114) at Berth Alpha Two (A-2) US naval station Pearl Harbor, Hawaii. 1634 Underway. Fm: Berth A-2 to Sierra 18 IAW Com Flt Tra Gp. Op order-15-63. Steering various courses and speeds. 1642 Lt(jg) Walker has the Conn. Captain on the Bridge - 1712 Moored stbd side to Berth S-18. U.S. Naval Submarine Base, Pearl Harbor, Hawaii, Four std. mooring lines doubled. 1720 Secured the sea and anchor detail. ~~180~~ #1 s/s generator supplying ships power and lights. 1800 set condition yoke modified. JAH

Jal. Hollis, CWO 2, USN

20-24 Moored as before.

Jal Hollis, CWO, 2, USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Walker Lt(jg) U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE Saturday (Day) 13 (Date) APRIL (Month), 19 63

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	025	3	7	BKN	2986	75	71	8	1400	ST			
02	025	2	7	OVC	2986	74	71	10	1050	ST			
03	035	2	7	OVC	2986	74	71	10	1050	ST			
04	030	2	7	L	2986	73	72	10	300	ST			
05	030	1	5	OVC	2985	71	70	10	350	ST			
06	050	1	5	OVC	2985	74	70	10	1400	ST			
07	070	3	5	OVC	2985	78	72	10	2100	ST			
08	070	3	5	OVC	2986	80	73	10	2450	ST			
09	075	3	5	OVC	2987	82	74	10	2800	ST			
10	080	3	5	OVC	2987	83	75	10	2800	ST			
11	090	3	5	OVC	2988	84	76	10	2800	ST			
12	100	4	5	OVC	2988	80	74	10	2100	ST			
13	110	5	7	OVC	2988	75	73	10	700	ST			
14	110	3	7	R	2988	72	71	10	300	ST			
15	110	5	7	R	2987	72	71	10	350	ST			
16	110	5	7	R	2987	73	71	10	700	ST			
17	110	2	7	R	2987	75	73	10	700	ST			
18	—	—	7	R	2987	74	72	10	700	ST			
19	—	—	3	R	2988	73	71	10	700	ST			
20	—	—	3	R	2988	72	71	8	350	ST			
21	—	—	3	R	2988	72	71	8	350	ST			
22	050	3	3	R	2988	72	70	7	700	ST			
23	050	3	3	SCT	2990	72	71	5	350	CU			
24	050	3	3	BKN	2991	72	71	7	350	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

190

REMARKS

00-04 moored stbd. side to Berth S-18 U.S. Naval Submarine Base, Pearl Harbor, Hawaii, using four (4) stbd. mooring lines doubled. #1 S/S generator supplying lights and power, receiving telephone service from the pier. Condition yoke modified set throughout the ship. Ships present includes various units of the U.S. Pacific Fleet, District and small craft. S.O.P.A. is Cin C Pac. Flt.

J. A. Hollis, CWO 2, USN

04-08 moored as before. 0745 mustered the crew on stations. Unauthorized absentees: None.

J. A. Hollis, CWO-2, USN

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R L Walker LtCdr U.S.N.R NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Saturday (Day) 13 (Date) April (Month), 19 63

0800-1200 moored as before 1620 made daily inspection of magazines and smokeless powder samples, conditions normal.

Robert M Turner EWS USNR

1200-1600 moored as before

Robert M Turner EWS USNR

1600-2000 moored as before. 1800 set modified condition "Jake".

Robert M Turner EWS USNR

2000-2400 moored as before

Robert M Turner EWS USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Walker Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE Sunday (Day) 14 (Date) April (Month), 19 63

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	070	3	7	BKN	2990	71	70	7	350	ST			
02	050	2	6	BKN	2992	70	69	7	350	ST			
03	040	3	6	OVC	2992	72	70	10	700	ST			
04	050	2	6	OVC	2992	73	71	10	700	ST			
05	040	4	7	R	2993	74	73	10	350	ST			
06	040	4	7	R	2995	76	75	10	350	ST			
07	020	4	7	R	2994	78	77	10	350	ST			
08	010	5	8	R	2995	80	79	10	350	ST			
09	350	5	8	R	2996	80	79	10	350	ST			
10	350	3	8	R	2997	80	79	10	350	ST			
11	340	3	7	R	2996	82	81	10	350	ST			
12	340	3	7	R	2997	81	80	10	350	ST			
13	—	—	7	OVC	2998	80	77	10	1050	ST			
14	340	2	7	BKN	2998	80	79	7	350	ST			
15	350	3	8	BKN	2998	81	78	7	1050	ST			
16	—	—	8	BKN	2996	80	79	7	350	ST			
17	—	—	7	BKN	2997	80	78	7	700	ST			
18	—	—	6	BKN	2998	78	77	7	350	ST			
19	—	—	6	BKN	2998	78	77	7	350	ST			
20	—	—	6	BKN	2998	78	77	7	350	ST			
21	—	—	6	BKN	2998	78	77	7	350	ST			
22	—	—	6	BKN	2998	78	77	7	350	ST			
23	—	—	6	BKN	2998	78	77	7	350	ST			
24	—	—	7	BKN	2995	75	77	7	350	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

234

REMARKS

00-04 moored starboard side to berth Delta eighteen (D-18) US Naval Base Pearl Harbor Hawaii using four (4) standard nylon mooring lines, doubled up. Receiving electricity, fresh water and telephone service from the pier. Ships present include various units of the US Pacific Fleet various yard and district craft. Readiness material condition "Yoke" is set throughout the ship. SOPA is CinCPac

Robert M. Turner Ens USNR

04-08 moored as before.

Robert M. Turner Ens USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Walker LT(SC) U.S.N.R NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 SUNDAY (Day) 14 (Date) APRIL (Month), 19 63

ØØ-12 Moored as before Ø815 Mustered crew on Stations Absentees None. 1135 Made daily inspection of Magazines and smokless powder samples. Conditions Normal.

LE Horton
Ens USN

12-16 Moored as before.

LE Horton
Ens USN

16-20 Moored as before. 1800 Set Modified Condition YOKE three aft the ship.

LE Horton
Ens USN

20-24 Moored as before

LE Horton
Ens USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: L L Walker Lt(jg) U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE MONDAY (Day) 15 (Date) APRIL (Month), 19 63

AT/~~PASSAGE FROM~~ PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	355	1	7	SCT	2998	76	75	4	350	ST			
02	355	1	7	SCT	2998	75	74	4	350	ST			
03	355	1	7	SCT	2998	75	73	3	700	ST			
04	350	1	7	SCT	2997	74	73	4	350	ST			
05	350	1	7	SCT	2997	74	73	4	350	ST			
06	355	1	7	SCT	2997	74	72	1	700	ST			
07	355	2	7	SCT	2998	75	73	1	700	ST			
08	070	7	7	BKN	2999	74	73	6	350	ST			
09	090	9	7	BKN	3000	75	73	4	700	ST			
10	095	16	4	OVC	3000	77	75	10	700	ST			
11	110	10	4	R	3000	78	77	10	350	ST	77	110	2
12	120	10	5	R	3000	78	77	10	350	ST	76	120	3
13	115	7	5	R	3000	78	77	10	350	ST	78	115	3
14	110	7	5	R	3000	76	75	10	350	ST	77	120	5
15	080	7	3	R	3000	74	73	10	350	ST			
16	065	5	3	R	3000	74	73	10	350	ST			
17	050	4	3	R	3000	74	73	10	350	ST			
18	045	2	3	R	3000	74	73	10	350	ST			
19	050	5	3	R	3001	74	73	10	350	ST			
20	030	4	3	R	3002	74	73	10	350	ST			
21	045	4	3	R	3003	71	70	10	350	ST			
22	045	4	3	R	3003	72	70	10	700	ST			
23	050	4	3	R	3004	72	70	10	700	ST			
24	055	4	3	R	3004	72	70	10	700	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 27

FUEL CONSUMED 0000–2400: 503

REMARKS

ΦΦ-Φ4 Moored starboard side to in Berth Sierra Eighteen (S-18) with standard mooring lines doubled, Modified condition zebra set thru out the ship. Receiving fresh water and telephone service from the pier. Ships present in Pearl vicinity various units of US Pacific Fleet. Yard and district craft. SOPA is COMSUBPACFLT.

L E Barton
Ens USN

Φ4-Φ8 Moored as before. Φ745 Mustered crew at Quarters: Absentees: None.

L E Barton
Ens USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Walker LT(SG) U.S.N.R NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 15 (Date) APRIL (Month), 1963

Ø8-12 Moored as before. Ø8Ø5 Set special Sea and anchor detail. Captain and navigator on the bridge. Capt. has the conn. Ø838 Underway in accordance with COMFLTTRAGRU OP ORD 16-63 from Sierra Eightun for Local OP Area. Maneuvering on various courses and speeds to clear berth Ø91Ø clear of berth on course 298° Speed 6 KNOTS OOD has conn. Maneuvering on various courses and speeds to conform with Pearl Harbor channel. Ø945 Passed bouy 1 abeam to starboard on course 142° Speed 8 Knots. Ø946 C/S To 6 KNOTS. Secured special Sea Detail. Ø949 C/C To 150° Ø95Ø C/C To 154° 1ØØØ C/C To 118° 1ØØ2 C/C To 140° Made daily inspection of magazines and smokless powder samples. Conditions normal. 1ØØ4 Entered International Waters. 1ØØ6 C/C to 122° C/S to 14.3 Knots. 1ØØ8 C/C to 126° 1Ø15 Commenced Exercise Z-1Ø-CC With USS Grapple (ARS 7) Maneuvering on various courses while conducting exercise. 1Ø51 Completed exercise Z-10-CC on course Ø8Ø° Speed 13.3 Knots. 11ØØ commenced Z-5-N exercise. Maneuvering on various courses to approach anchorage.

L E Horton
Ens USN.

Ø8-12 (Cont) Underway as before. 1121 Set anchor detail. 1129 Let go starboard anchor in 11 fathoms of water in coral bottom on the following bearings. Aloha tower 350° Radio ØØ7 La Ronde Ø63. 1141 anchor 45 fathom to water edge.

Robert M Turner Ens USNR

12-16 Anchored as before. 1235 set the Sea and anchor detail. 1248 Underway. Captain + navigator on the bridge. Conducting Radar anchoring Exercise - Using various speeds + courses. So. Honolulu Anchorage area. 1324 Anchored, 14 Fathoms water, 30 Fathoms of chain out to stbd. anchor. 1330 Underway. 1331 C/S 3.3 Kts. 1333 C/S 6 Kts. C/C 180°. Secured from anchoring drill. 1350 passed into International waters. 1353 Sounded General Quarters Drill. Ens. Horton has the Conn + Deck. 1359 Condition Zebra set throughout the ship.

J. D. Hollis CWO, 2, USN

12-16 cont 1415 Underway at General Quarters C/C to 000° 1448 Secured from General Quarters 15Ø5 C/S 9.5 Kts 15Ø7 C/C to 334° Entered Inland waters. 15Ø9 Set Special Sea detail. 1514 Captain and Navigator on the bridge. 1515 passed Sea bouy number two abeam to Starboard. Maneuvering at various courses and speed to safely navigate Pearl Harbor channel and moor port side to Berth Alfa two

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Walker Lt(jg) U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ , 19 _____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED
0000–2400

FUEL CONSUMED
0000–2400

REMARKS

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Monday (Day) 15 (Date) April (Month), 1962

the Captain has the Conn; 1531 Moored Portside to Buoy (A-2) berth Afa two. US Navy Base Pearl Harbor Hawaii. 1536 SECURED THE SPECIAL SEA AND ANCHOR DETAIL.

Robert M Turner Ens USNR

16-20: MOORED AS BEFORE. 1800 SET MODIFIED MATERIAL CONDITION YOKE. 1831 HELD FIRE DRILL. 1836 SECURED FROM FIRE DRILL.

A L Walker LTJG. USNR

20-24: MOORED AS BEFORE.

A L Walker LTJG. USNR

APPROVED: C Reed Lt. U.S.N. COMMANDING

EXAMINED: A L Walker Lt(jg) U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ARNAKI (ATF-96) ZONE DESCRIPTION +10 DATE TUESDAY (Day) 16 (Date) APRIL (Month), 19 63

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	050	4	7	BKN	29.97	76	75	6	350	SC			
02	070	4	7	BKN	29.98	76	75	6	350	SC			
03	090	4	10	BKN	29.98	77	75	6	700	SC			
04	100	7	10	BKN	29.99	78	76	7	700	SC			
05	100	7	10	BKN	30.00	78	76	7	700	SC			
06	110	8	10	BKN	30.00	78	76	7	1000	SC			
07	110	10	10	BKN	30.01	78	76	8	1000	SC			
08	090	10	10	BKN	30.02	79	76	8	1000	SC	77	110	3
09	080	8	10	BKN	30.03	79	76	8	1000	SC	77	090	3
10	100	10	50	BKN	30.03	80	76	8	1000	SC	77	090	3
11	090	12	10	BKN	30.01	81	77	7	700	SC	78	100	4
12	090	16	10	BKN	30.00	81	78	7	350	SC	78	100	3
13	080	16	10	BKN	29.97	81	79	8	350	SC	78	100	3
14	090	17	10	BKN	29.97	81	80	8	350	SC	78	090	3
15	240	6.5	10	BKN	29.96	79	80	8	1000	CU			
16	240	7	6	BKN	29.96	79	80	9	600	ST			
17	240	7	6	BKN	29.96	78	76	7	600	ST			
18	240	7	6	BKN	29.96	78	76	4	600	ST			
19	240	7	6	BKN	29.96	78	76	4	600	ST			
20	240	6.5	6	BKN	29.96	78	77	4	600	ST			
21	250	6-5	6	BKN	29.96	77	76	5	750	ST			
22	250	6.5	6	BKN	29.96	77	76	7	650	ST			
23	250	7	6	BKN	29.96	77	76	7	650	ST			
24	250	7	6	BKN	29.96	76	75	8	650	ST			
										ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 24

FUEL CONSUMED 0000-2400: 280

REMARKS

00-04: MOORED PORT SIDE TO BERTH A-2, U.S. NAVAL STATION, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. U.S.S. TAWAKONI (ATF-114) MOORED ALONGSIDE TO STARBOARD. MODIFIED MATERIAL CONDITION YOKE SET. RECEIVING TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD & DISTRICT CRAFT. SOPA IS CINCPACFLT.

W. L. Swan, LTJG, USNR

04-08: MOORED AS BEFORE. 0651 MUSTERED THE CREW AT QUARTERS; ABSENTEES: HORMOND, CARROL J., 535-48-70, RM3, USN. 0655 SET THE SPECIAL SEA AND ANCHOR DETAIL. 0718 UNDERWAY IN ACCORDANCE WITH COMFLETRA GRU PEARL OPORD 16-63. CAPTAIN & NAVIGATOR ON THE BRIDGE; OOD HAS THE CONN. DRAFT FORWARD 14', AFT 16'. COMMENCED MANEUVERING AT VARIOUS COURSES AND SPEEDS TO CONFORM WITH CLEARING BERTH AND PEARL HARBOR CHANNEL. 0739 PASSED BUOY #1 ABEAM TO STARBOARD, DISTANCE 1000 FT. 0740 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. 0741 C/S 9 KTS C/S 154° 0750 ENTERED INTERNATIONAL WATERS. 0753 C/C 257°.

W. L. Swan, LTJG, USNR

APPROVED: C. C. Reed Jr. U.S.N. COMMANDING

EXAMINED: A. L. Walker LT(jg) U.S.N.R. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Tuesday (Day) 16 (Date) April (Month), 1963

0812 Underway as before. 0804 made daily inspection of powder magazine and smokeless powder samples, conditions normal; 0807 C/S to 3.3 kts 0808 C/C to 130°. Commence tracking Exercise Z-10-CC. 0936 Secured from Z-10-CC. 0949 C/S to 11.8 kts 0953 C/S to 3.3 kts, 6.7 kts; 1000 Commence pression anchorage exercise Z-5-N. maneuvering at various courses at various speed to anchor off Honolulu 1026 Let go the Starboard anchor in 10 fathoms of water with coral and gray sand bottom. Anchor bearings Aloha Tower 048; La Ronde 083.9° Pineapple 028.5. 1035 Got underway from anchorage and secured from exercise Z-5-N. 1036 C/S to 6.5 kts 1037 C/C to 225°, 1044 C/S to 12.3 kts 1047 Commenced Z-14-CC anchorage by Precision Radar. maneuvering on various courses and various speeds to preform exercise 118. Let go starboard anchor in 6 fathoms of water with coral and gray sand bottom.

Robert M. Turner Ens USNR

12-16 Anchored As Before. 1209 Heaved in To Short Stay 15 Fathoms on Deck. 1249 Commenced Heaving Round And Up. 1250 Anchors Aweigh. 1252 Let Go Port Anchor in 8 Fathoms, Sand Bottom on Following Bearings. Pineapple 027°, Aloha Tower 046°, La Rounda 083°. Veering Chain To 75 Fathoms 1257 Stopped Veering Chain 75 Fathoms on Deck. 1304 Commenced Heaving Round And Up on Anchor. ~~1328~~ 1323 Anchors Aweigh R/30° Rudder A/A 3 Knots. 1325 C/S To 6 Knots ~~1325~~ 1327 C/C To 180° Commenced Maneuvering on Various Courses While Conducting Magnetic Piloting Exercise. 1402 Completed Magnetic Piloting Exercise. On Course 180° 1414 C/C To 350° Commenced Maneuvering on Various Courses While Conducting Magnetic Piloting Exercise 1437 Completed Magnetic Piloting on Course 250° C/S To 6.7 Knts. 1444 C/S To 9.5 Knts C/C To 220° 1446 Commenced Exercising Crew At General Quarters. Maneuvering At Various Courses And Speeds. 1546 Secured From General Quarters on Course 350° Speed 6.7 Knts. 1548 C/S To 3.3 Knts 1555 Commenced Maneuvering on Various Courses And Speeds While Conducting Man Over Board Exercise.

J.E. Horton
Ens USN

16-20 underway conducting man overboard drills. maneuvering on various courses + speeds. 1611 secured from drills, 1612 C/S 9.5 kts. C/C 015°. 1630 Captain and Navigator on the Bridge set the sea and anchor detail. 1634 C/C 335°, 337°. 1638 passed Buoy #2 abeam to stbd. 100 feet. Steering various courses and speeds while intering transiting channel + harbor. JAH

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: A.L. Walker Lt(jg) U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ , 19 _____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY	WEATH-ER	BAROM-ETER	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)	(Miles)	(Sym-bols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED:

_____ U.S.N. COMMANDING

EXAMINED:

_____ U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Tuesday (Day) 16 (Date) April (Month), 1963

16-20 (con't) 1653 moored portside to and outboard of USS ~~TAWA~~ TAWIKONA (ATF-114) at Berth A-2, U.S. Naval Station JdH Pearl Harbor, Hawaii, using four std. lines doubled. H/S/S generator on ships power + lights. LORMOND, Carroll J. RMS 535-48-70, USN Returned to JdH the ship, U.A. Since 0851 16 April, 1963 1658 Secured the Sea and Anchor Detail. 1800 set material condition yoke modified through out the ship. 1836 Exercised the duty Section at import Fire drill. 1854 Secured from Import Fire drill.

J.L. Hollis AWO2, USN

20-24 moored as before.

J.L. Hollis AWO2, USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Walker Lt (jg) U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE WEDNESday (Day) 17 (Date) APRIL (Month), 19 63

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	250	7	6	BKN	29.96	76	75	8	650	ST			
02	230	6	6	BKN	29.96	76	75	8	650	ST			
03	200	6	6	BKN	29.96	76	75	8	650	ST			
04	190	6	6	BKN	29.96	76	75	8	650	ST			
05	150	5	8	BKN	29.96	76	74	8	650	ST			
06	125	5	8	BKN	29.96	76	74	8	900	ST			
07	110	4	10	BKN	29.97	76	73	7	1000	CU			
08	090	13	10	BKN	29.99	80	78	8	700	CU	78	100	3
09	090	14	10	BKN	30.00	80	77	8	1000	CU	78	100	3
10	095	14	10	BKN	30.00	80	77	8	1000	CU	78	105	4
11	100	15	10	BKN	30.00	80	76	8	1400	CU	78	100	4
12	105	15	10	BKN	30.00	80	74	8	2100	CU	78	100	4
13	105	8	10	BKN	30.00	81	76	8	2100	CU			
14	105	8	10	BKN	30.00	81	76	8	1400	CU			
15	105	10	10	BKN	30.00	82	77	8	2000	CU			
16	105	7	10	BKN	30.00	84	78	8	1800	CU			
17	105	8	10	BKN	30.00	82	77	7	1800	CU			
18	105	7	10	BKN	30.00	80	76	8	1800	CU			
19	130	6	8	BKN	30.00	78	76	8	1800	CU			
20	130	6	6	BKN	29.98	78	76	8	1800	CU			
21	130	6	6	BKN	29.98	76	74	7	1800	CU			
22	130	6	6	BKN	29.98	76	74	7	1500	CU			
23	150	5	6	BKN	29.98	76	74	7	1450	CU			
24	105	5	6	BKN	29.97	76	74	8	1450	CU			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 24

FUEL CONSUMED 0000-2400: 368

REMARKS

00-04 Moored port side to and outboard of U.S.S. TAWIKONI (ATF-114) at Berth A-2, U.S. Naval station, Pearl Harbor, Hawaii, using four (4) std. mooring lines doubled up. #1 S/S generator supplying power and light, Telephone service from the pier. Material Condition yoke modified set throughout the ship. Ships present include various units of the U.S. Pacific Fleet, District and Small Craft. S.O.P.A. is CinC Pac. Flt.

Jul. Hollis, CWO, 2, USN.

04-08 Moored as before: 0650 Mustered the crew at Quarters. Unauthorized absentees. None. 0730 Underway IAW Com Flt TRA GA OP Ord. 16-63 to local op. area. Captain and Navigator on the Bridge - R^OD Steering various courses & speeds, proceeding to sea. 0746 passed Buoy to stbd. 100 feet. Secured the Sea and anchor detail. Commenced transit of simulated mine field. 0759 C/C 257°. C/S 9.5 Kts.

Jul. Hollis, CWO 2, USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Walker Lt(jg) U.S.N.R NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Wednesday (Day) 17 (Date) April (Month), 1963

08-12 Underway as before 0801 C/C 265°, C/C 255 0803 257° passed into International waters. 0847 C/C 195° 0810 C/C 188°, 0814 C/C 170° 0816 C/C 150° 0819 C/C 195 0821 Clear of simulated mine field 0823 C/S 0 Kts - C/S 9.5 Kts 0829 C/C 090°. Lt(jg) Swan has the Conn. 0831 C/S 3.3 kts 0857 C/S 6.7 Kts. 0900 C/S 3.3 kts. 0949 C/S 6.7 Kts. 0950 C/S 9.5 kts. 1004 C/S 3.3 Kts. 1017 Commenced General Quarters Drills.

Jul. Hollis, OWO, 2-USN

08-12 (CONT) 1017 Exercised Crew At General Quarters. Maneuvering at various courses and speeds while conducting General Drills.

L E Horton
Ens USN

12-16 Underway as before - Exercising at General Quarters, 1332 Secured from General Quarters on course 333° Speed 9.5 Kts Set Special Sea Detail. CAPTAIN AND NAVIGATOR ON THE BRIDGE, OOD HAS THE CONN.

L E Horton
Ens USN

12-16 (CONT) Underway as before, 1340 passed sea bouy #2 Starboard. maneuvering various courses at various speeds to navigate channel and moor at Alfa docks. 1356. Moored Port side to berth Alfa two (A-2) US Naval base. Pearl Harbor Hawaii

Robert M Turner Ens USNR

16-20 Moored as before, 1800 set modified condition "Yoke" throughout the Ship.

Robert M Turner Ens USNR

20-24 Moored as before

Robert M Turner Ens USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: J L Walker Lt(jg) U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION 110w DATE Thursday (Day) 18 (Date) April (Month), 19 63

AT/~~PASSAGE FROM~~ Pearl Harbor Hawaii TO Local Ops

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	105	5	6	BKN	29.96	76	74	8	1450	CU			
02	100	5	4	OVC	2997	76	74	10	700	ST			
03	095	5	6	OVC	2997	75	70	10	1750	ST			
04	090	4	6	OVC	2998	74	69	10	1750	ST			
05	090	4	6	OVC	2998	74	69	10	1750	ST			
06	090	4	6	OVC	2998	74	69	10	1750	ST			
07	090	4	8	OVC	2999	76	71	10	1750	SC			
08	085	5	10	OVC	2999	78	72	10	2100	CU	76	090	2
09	085	9	10	OVC	3000	80	75	10	1750	CU	75	080	4
10	085	10	10	OVC	3000	80	75	10	1750	CU	76	080	5
11	085	11	10	OVC	3000	81	75	10	1400	CU	77	090	5
12	080	10	10	BKN	2999	83	80	8	1050	CU	75	080	5
13	080	10	10	BKN	2999	83	80	8	1050	CU			
14	090	10	10	BKN	2995	81	78	8	1050	CU			
15	090	10	10	BKN	2996	81	78	7	1050	CU			
16	090	10	10	BKN	2996	80	78	7	700	CU			
17	095	8	10	BKN	2996	81	79	7	700	CU			
18	090	8	10	BKN	2997	80	78	6	700	CU			
19	085	8	10	BKN	2997	80	78	6	700	CU			
20	085	7	10	BKN	2998	79	77	7	700	SC			
21	100	7	10	BKN	2998	78	76	8	700	SC			
22	100	10	10	BKN	2997	77	75	6	700	SC			
23	100	10	10	BKN	2998	77	75	7	700	SC			
24	100	10	10	BKN	2998	76	74	7	700	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000–2400: 27

FUEL CONSUMED 0000–2400: 668

REMARKS

00-04 moored portside to berth Alfa two - US naval base Pearl Harbor Hawaii with four (4) standard nylon mooring lines doubled up receiving fresh water and telephone service from the pier. Ships service generator number one supplying power. Ships present include various units of the US Pacific Flt and various yard and district craft. Modified condition "Yoke" is set throughout the ship. SOPA is C in C Pac Flt.

Robert M Turner Ens USNR

04-08 moored as before 0650 muster of crew at quarters absentees none 0705 Captain and Navigator on the bridge. OOD has the Conn 0709 permission granted to get underway 0738 underway from berth Alfa two to local ops area IAW Com Flt Pac Gen Oporf 16-62. maneuvering various courses at various speeds to safely pass Pearl Harbor channel. 0757 entered

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: D L Walker Lt(jg) U.S.N.R NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96 THURSDAY (Day) 18 (Date) APRIL (Month), 19 63

open sea, passed sea bouys 1 and 2. 0759 Entered mine field.

Robert M Turner Ens USNR

0812 Underway as before, 0843 C/C to 148°, 0811 International waters, C/C to 261°, 0819 C/C to 196°, 0830 Recieved Daily inspection report of magazine and smokeless powder samples. Conditions normal. 0832 C/S to 3.3 Kts 0833 C/C to 095°. 0840 conducted steering casualty drill steering various courses at various speeds. 0900 Commenced Engineering exercises brought steering back to budge.

Robert M Turner Ens USNR

0812 (CONT) UNDERWAY AS BEFORE CONDUCTING ~~ENGR~~ ENGINEERING EXERCISES JEH

L E Horton
Ens USN

1212-16 Underway as before, Base course 095°, Speed - as necessary while Holding Engineering drills - 1411 Exercised the crew at General Quarters, 1448 C/C 297°, 1500 Secured from General Quarters and Engineering drills JEH

Jack Hollis CWO2 USN

1212-16 (CONT) UNDERWAY AS BEFORE EXERCISING CREW AT GENERAL QUARTERS 1416 MANEUVERING ON VARIOUS COURSES AND SPEEDS WHILE CONDUCTING GENERAL DRILLS. 1500 SECURED FROM GENERAL QUARTERS ON COURSE 297° SPEED 6.7 KNOTS.

L E Horton
Ens USN

1212-16 (cont) 1503 Ens Turner Has the Conn. 1504 man overboard drill. 1517 Secured from drills. 1519 CWO Hollis has the conn. Conducted Steering casualty drill, 1521 Commenced man overboard drill. 1531 secured from Steering and man overboard drills, ~~1534~~ C/S 6.7 Kts. JEH 1534 C/C 297°, 1540 C/S 5.9 Kts. 1547 Ens Horton has the Conn. 1254 C/C 320°, 1558 intered Inland waters.

Jack Hollis CWO 2 USN

1616-20 UNDERWAY AS BEFORE 1601 C/C TO 335° 1602 SET SPECIAL SEA AND ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE OOD HAS THE CONN. 1605 MOTOR CONTROL SHIFTED TO THE BRIDGE. 1606 C/C 331° 1609 PASSE BOUY 2 ABEAM TO STBD APROX 500 FT. COMMENCED MANEUVERING ON VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 1617 C/C TO 345° PASSED BOUY 6 ABEAM TO STBD MANEUVERING ON VARIOUS COURSES AND SPEEDS TO APPROACH AND MOOR IN BERTH ALPHA TWO US NAVAL STATION PEARL HARBOR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Walker Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE Friday _____ , 19 _____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY	WEATH-ER	BAROM-ETER	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)	(Miles)	(Sym-bols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)

SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 THURSDAY (Day) 18 (Date) APRIL (Month), 1963

16-20 (CONT) HAWAII 1630 MOORED PORTSIDE TO, IN BERTH ALPHA TWO US NAVAL STATION PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. SECURED SPECIAL SEA DETAIL 1800 SET MODIFIED CONDITION YOKE THRU OUT THE SHIP.

J E Horton
Lcdr USN

20-24 MOORED AS BEFORE.

J E Horton
Lcdr USN.

APPROVED: C C Reed Jr U.S.N. COMMANDING

EXAMINED: R L Walker Lt(jg) U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE FRIDAY (Day) 19 (Date) APRIL (Month), 19 63

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	100	10	10	BKN	2998	76	74	7	700	Sc			
02	100	10	10	BKN	2998	76	74	7	700	Sc			
03	110	15	10	BKN	2998	75	73	7	700	Sc			
04	120	15	10	BKN	2999	73	71	7	700	Sc			
05	130	15	10	BKN	2999	73	71	7	700	Sc			
06	120	15	10	BKN	3000	75	73	7	700	Sc			
07	100	15	10	BKN	3001	76	74	7	700	Sc			
08	090	15	10	BKN	3002	76	73	7	1050	Sc	76	090	3
09	095	15	10	BKN	3002	76	73	7	1050	Sc	76	090	3
10	110	17	10	BKN	3002	78	74	7	1400	Sc	77	110	3
11	100	17	10	BKN	3001	79	75	7	1400	Sc	77	100	4
12	095	16	10	BKN	3000	80	76	7	1400	Sc	77	095	4
13	090	10	10	BKN	3000	79	75	7	1400	Sc	77	090	5
14	080	10	10	SCT	3000	80	76	4	1900	CU			
15	070	10	10	SCT	3001	81	77	4	1400	CU			
16	050	5	10	SCT	3001	80	76	3	1400	CU			
17	040	5	10	SCT	3003	79	75	3	1400	CU			
18	030	5	10	SCT	3003	79	75	4	1400	CU			
19	020	1	10	SCT	3003	78	74	3	1400	CU			
20	020	5	10	SCT	3003	77	73	3	1400	CU			
21	010	3	10	CLR	3004	77	73	—	—	—			
22	000	5	10	CLR	3004	76	74	—	—	—			
23	010	5	10	CLR	3004	76	74	—	—	—			
24	020	5	10	CLR	3002	76	74	—	—	—			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 23

FUEL CONSUMED 0000-2400: 827

REMARKS

00-04 MOORED PORTSIDE TO IN BERTH ALPHA TWO, US NAVAL ~~SHIPYARD~~ SEA STATION, PEARL HARBOR HAWAII WITH STANDARD MOORING LINES DOUBLED. RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. MODIFIED CONDITION YOKE SET THRU OUT THE SHIP. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD. AND DISTRICT CRAFT. SOPA IS CINC PACFLT

J E Slater
ENS USN

04-08 MOORED AS BEFORE 0650 MUSTERED CREW AT QUARTERS. ABSENTEES NONE. 0700 SET SPECIAL SEA DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE OOD HAS THE CONN. 0749 UNDERWAY FROM ALPHA TWO IN ACCORDANCE WITH COMFLTRAGRU OPORD 16-63 MANEUVERING ON VARIOUS COURSES AND SPEEDS WHILE CLEARING BERTH AND ~~TO~~ HEAD LINING FAIR WITH CHANNEL. ~~0S~~ 0757 STEADY ON 155° SCH

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: A L Walker LT(jg) U.S.N.R NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 19 (Date) APRIL (Month) 1963

04-08 (CONT) SPEED 6.7 KNOTS. 0758 PASSED BOUY SEVEN ABEAM TO STBD. APPROX 50 FT. MANEUVERING ON VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL

J.E. Horton
Ens USN

08-12 Underway as before. Ens Horton has the conn. 0804 C/S 9 Kts. C/C 152°. 0807 C/C 154°. 0809 Secured Sea & Anchor detail. 0810 Commenced transit of Swept channel. 0812 C/C 154°. 0816 CWO Hollis took the Conn. and Deck. 0820 entered International waters. 0821 C/C 255. 0825 C/C 250°. 0826. C/C 255°. 0828, C/C 195°. 0830, C/S 14.3 Kts. 0830 Secured from Swept channel exercise. 0848 C/S 12.3 Kts. C/C 070°. 0849 C/C 055°. 0850, C/C 054°, C/S 9.5 Kts. 0851 C/S A/S. 0852 Made daily inspection of magazines and Smokless power samples, Conditions normal. 0855 Set the towing detail, Commenced Exercise 7-6-S, with U.S.S. Grapple (ARS-7). 0856 C/S 3.3 Kts. C/C 125°. 0900 Captain has the Conn. C/C 120°, maneuvering on various Courses & speeds while Conducting exercise 7-6-S. 0922 tow line made fast to USS Grapple, (ARS-7) commenced towing. 0959 C/S A/S. tow line cast off from USS Grapple (ARS-7) CWO Hollis has the Conn & Deck. 1010 USS Grapple (ARS-7) making towing approach to port. 1029 Tow line aboard, Commenced being towed. 1102 all tow line cast off completed exercise 7-6-S, C/S 9.5 Kts. 1104 C/C 090°, C/C 100°. 1105 Commenced approch on U.S.S. Grapple to conduct High line exercise 7-26-S Base Course 090°. Speed 8 Kts. 1108 Captain has the Conn. 1138 Completed Exercise 7-26-S, C/S 12.3 Kts C/C 095°. 1139 C/C R.F. Rudders. 1141 C/S 14.3 Kts. C/C Rud. midships - 1142 9.5 Kts. 1143-1144 C/S 14.3 Kts. 1145 C/S 9.5 Kts. C/C 090°. 1146 Commenced exercise of 7-29-S with USS Grapple (ARS-7). 1147 Commenced with approch. Base Course 090- Spud 8 Kts. 1155 Secured from Exercise 7-29-S. Secured Exercise detail. 1157 C/S A/S., 6 Kts C/C 270°.

J.D. Hollis. CWO2 USN

12-16 Underway as before. Captain has the Conn. 1204 C/C 090°. 1205 C/S 3.3 Kts. Relieved the Captain of the Conn. 1240 Relieved of the Deck and Conn by LT(jg) Swan.

J.D. Hollis. CWO2, USN

12-16 (CONT) UNDERWAY AS BEFORE. 1259 C/S 9.5 KTS 1302 C/S 3.3 KTS C/C 270°. 1310 EXERCISED CREW AT GENERAL QUARTERS. CAPTAIN AND NAVIGATOR ON THE BRIDGE. ENS HORTON HAS THE CONN. 1355 SECURED FROM GENERAL QUARTERS. OOD HAS THE CONN. C/C 300°. 1405 HELD MANOVERBOARD DRILL. 1414 SECURED FROM MAN OVERBOARD DRILL. ~~C/S 13~~ 1422 COMMENCED MAKING PREPARATIONS FOR ENTERING PORT. C/S 9.5 KTS. C/C 302°. 1447 C/C 333°. 1453 ENTERED INLAND WATERS. 1456 SET THE SPECIAL SEA AND ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ON BRIDGE, OOD HAS CONN. 1500 PASSED BOUY #2 ABEAM TO STBD, DISTANCE 70 FT. COMMENCED MANEUVERING AT VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 1527 PASSED BOUY #22 ABEAM TO STBD DISTANCE 100 FT.

(CONT.)

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: D.L. Walker Lt(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ , 19 _____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY	WEATH-ER	BAROM-ETER	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)	(Miles)	(Sym-bols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED:

_____ U.S.N. COMMANDING

EXAMINED:

_____ U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 19 (Date) APRIL (Month), 19 63

12-16 (CONT.) 1538 COMMENCED MANEUVERING AT VARIOUS COURSES AND SPEEDS TO APPROACH BERTH ~~K-2~~ M-1. 1545 MOORED PORT SIDE TO BERTH M-1, U.S. NAVAL BASE, PEARL HARBOR, HAWAII. ~~[illegible]~~ HKS

H. K. [signature] LTJG, USNR

16-20: MOORED AS BEFORE. 1600 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. 1758 EXERCISED THE DUTY SECTION AT RESCUE AND ASSISTANCE DETAIL. 1828 SECURED FROM RESCUE AND ASSISTANCE DRILL. 1830 SET MODIFIED MATERIAL CONDITION YOKE.

H. K. [signature], LTJG, USNR

20-24: MOORED AS BEFORE.

H. K. [signature] LTJG, USNR

APPROVED: C. C. Reed Lt. U.S.N. COMMANDING

EXAMINED: [signature] Walker Lt (jg) U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS AONAKI (ATF-96) ZONE DESCRIPTION +10 DATE SATURDAY (Day) 20 (Date) APRIL (Month), 19 63

AT ~~PASSAGE~~ FROM PEARL HARBOR, HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	100	10	10	~~CLR~~ BKN	2999	76	74	—	—	—			
02	100	10	10	SCT	2999	76	~~74~~ 73	3	700	CU			
03	090	9	10	SCT	3000	76	73	3	1050	CU			
04	080	7	7	BKN	3001	76	73	7	1050	SC			
05	080	7	7	OVC	3002	76	73	10	1050	ST			
06	070	7	7	OVC	3003	76	74	10	700	ST			
07	070	8	5	L	3004	76	74	10	700	ST			
08	060	8	5	L	3004	76	75	10	350	ST			
09	060	7	5	L	3005	76	75	10	350	ST			
10	060	7	5	L	3005	76	75	10	350	ST			
11	060	7	5	L	3005	76	75	10	350	ST			
12	060	7	5	L	3005	76	75	10	350	ST			
13	050	7	5	OVC	3004	77	78	10	350	ST/CU			
14	060	7	5	OVC	3003	78	76	10	700	ST/CU			
15	060	7	5	OVC	3002	79	77	10	700	ST/CU			
16	060	7	10	SCT	3001	80	79	3	350	ST/CU			
17	060	10	10	SCT	3000	78	77	4	350	ST/CU			
18	060	10	10	SCT	3000	78	77	1	350	CU			
19	065	10	10	SCT	3000	78	77	1	350	CU			
20	065	10	10	SCT	3000	78	77	1	350	CU			
21	065	9	10	SCT	3000	78	77	1	350	CU			
22	065	9	10	SCT	3001	78	77	1	350	CU			
23	065	9	10	SCT	3002	78	77	1	350	CU			
24	065	9	10	SCT	3003	78	77	1	350	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

102

REMARKS

00-04: MOORED PORT SIDE TO BERTH M-1, U.S. NAVAL STATION, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. MODIFIED MATERIAL CONDITION YOKE IS SET. RECEIVING FRESH WATER AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

H. L. [illegible], LTJG, USNR

04-08: MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATIONS; ABSENTEES: SMITH, C. R., 545-06-69, EN3, USN.

H. L. [illegible], LTJG, USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 20 (Date) APRIL (Month), 1963

08-12 moored as before; 0905 made daily inspection of magazines and Smokeless powder samples, Conditions normal, 0930 Smith, C.R., En3, 545-06-69, USN Returned aboard, UA since 0745 20 April 63.

J.L. Hollis, CWO 2, USN

12-16 moored as before.

J.L. Hollis, CWO. 2, USN

16-20 moored as before. 1800 set condition yoke "modified" through out the ship. 1805 mustered the Duty Section, Held Quiz on Import sectional Bills.

J.L. Hollis, CWO-2-USN

20-24 moored as before.

J.L. Hollis, CWO, 2, USN

APPROVED: C.E. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.L. Walker Lt(jg) U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE Sunday (Day) 21 (Date) APRIL (Month), 19 63

AT/~~PASSAGE~~ FROM PEARL HARBOR, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	065	5	10	BKN	3002	78	72	6	2100	CU			
02	065	5	10	BKN	3002	78	72	6	2100	CU			
03	065	5	10	BKN	3002	78	72	6	2100	CU			
04	065	5	10	BKN	3002	78	72	6	2100	CU			
05	065	4	10	BKN	3002	78	72	7	2100	CU			
06	060	10	10	BKN	3001	78	72	7	2100	CU			
07	060	15	10	BKN	3001	77	72	7	1750	CU			
08	060	18	10	BKN	3002	78	72	7	2100	CU			
09	060	18	10	BKN	3002	78	72	7	2100	CU			
10	060	18	10	BKN	3002	79	73	7	2100	CU			
11	060	20	10	BKN	3003	79	73	7	2100	CU			
12	060	20	10	BKN	3003	79	73	7	2100	CU			
13	060	20	10	BKN	3002	80	76	7	1400	CU			
14	060	12	10	BKN	3000	81	75	7	1400	CU			
15	060	15	10	BKN	2999	82	74	7	2800	SC			
16	060	10	10	BKN	2999	81	73	8	2800	SC			
17	060	15	10	BKN	2998	82	74	8	2800	ST			
18	065	5	10	OVC	2998	81	73	10	2800	ST			
19	070	7	10	BKN	2999	80	70	8	3500	ST			
20	080	7	10	BKN	2998	80	72	8	2800	SC			
21	085	8	10	BKN	2999	80	73	7	2450	SC			
22	095	10	10	BKN	2999	80	73	7	2450	SC			
23	100	10	10	BKN	2999	78	73	6	2100	SC			
24	100	10	10	BKN	2999	77	72	6	1750	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

102

REMARKS

00-04 moored port side to Berth mike one (M-1) U.S. Naval Station, Pearl Harbor, Hawaii with four (4) std. mooring lines doubled and secured. Receiving telephone service from the pier, #1 S/S generator supplying power and light. Condition yoke "modified" set throughout the ship. Ships present include various units of the U.S. Pacific Fleet, district and small craft, one unit of the R.N.Z. navy. SOPA is CinCPacFlt. DOH

J.D. Hollis, CWO 2, USN

04-08. Moored as before. 0750 mustered the crew on Stations. Unauthorized Absentees, None.

J.D. Hollis, CWO 2, USN

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.L. Walker LtJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 SUNDAY (Day) 21 (Date) APRIL (Month), 19 63

08-12 Moored as before; 1055 made daily inspection of magazine and smokeless powder samples, condition normal.

Robert M Turner Gas USNR

12-16 Moored as before.

Robert M Turner Gas USNR

16-20 Moored as before. 1800 set modified material condition "Yoke" throughout the ship.

Robert M Turner Gas USNR

20-24 Moored as before.

Robert M Turner Gas USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Walker Lt(jg) U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE Monday (Day) 22 (Date) April (Month), 1963

AT/PASSAGE FROM Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	100	6	7	SCT	2999	77	72	4	1750	CU			
02	100	6	7	SCT	2998	76	72	4	1400	CU			
03	105	6	8	SCT	2998	75	72	4	1050	CU			
04	110	6	7	SCT	2998	73	72	3	350	CU			
05	110	8	7	SCT	2998	73	72	4	350	CU			
06	110	6	10	SCT	2998	73	72	5	350	CU			
07	110	6	10	SCT	2998	74	73	4	350	CU			
08	100	14	10	SCT	2999	74	73	3	350	CU			
09	090	18	10	SCT	3000	75	73	4	700	CU			
10	090	18	10	SCT	3000	76	73	3	1000	CU			
11	090	20	10	SCT	2999	76	72	3	1400	CU	77	090	5
12	080	22	10	SCT	2999	76	71	4	1750	CU	77	080	7
13	070	22	10	SCT	2998	76	70	2	2100	CU	77	070	7
14	070	22	10	SCT	2997	77	70	2	2450	CU	76	070	7
15	070	20	10	SCT	2996	77	70	2	2450	CU	76	070	6
16	070	8	10	SCT	2995	77	70	4	2450	CU	76	070	6
17	050	10	10	BKN	2995	80	75	6	1750	CU			
18	045	10	10	BKN	2996	85	78	6	2800	CU			
19	045	8	10	BKN	2996	80	72	7	2450	CU			
20	045	10	10	BKN	2996	77	70	7	2450	CU			
21	045	10	10	BKN	2997	74	66	6	2800	CU			
22	045	8	10	BKN	2996	74	66	7	2800	CU			
23	045	9	10	BKN	2997	74	66	8	2800	CU			
24	045	10	10	BKN	2998	74	66	7	2800	CU			

POSITION	ZONE	TIME
0800 L ___ BY ___		
λ ___ BY ___		
1200 L ___ BY ___		
λ ___ BY ___		
2000 L ___ BY ___		
λ ___ BY ___		

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM ___ (ZT) ___ (Date)
TO ___ (ZT) ___ (Date)
SET ___
DRIFT ___

POSITION BETWEEN FIXES
MID. L ___
MID. λ ___

MILES STEAMED 0000-2400: 41

FUEL CONSUMED 0000-2400: 195

REMARKS

00-04 Moored portside to berth Mike one (M-1) US Naval Base Pearl Harbor Hawaii using four standard nylon mooring lines doubled. Receiving fresh water, telephone service, electrical power from the pier. Ships present include various ships of the US Pacific Fleet, and various yard and district small craft. Modified material condition "Yoke" is set throughout the ship. SOPA is CinCPacFlt.

Robert M. Turner ENS USNR

04-08 Moored as before. 0735 mustered crew at quarters absentees none. 0752 Captain and navigator on the bridge. ~~0836 Underway from berth Mike 1 IAW ComSerPac Gen Opord 17-63. Steering various courses at various speeds to safely navigate Pearl Harbor channel to open sea.~~ OOD has the conn RJ RJ RJ

Robert M Turner ENS USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Walker Lt(jg) U.S.NR NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 MONDAY (Day) 22 (Date) APRIL (Month), 19 63

0800-1200 Moored as before 0836 Underway from berth Nuke one (M-1) IAW Com Flt Jra Gen OpORD 17-63. Steering various courses at various speeds to navigate Pearl Harbor channel to seaward. 0914 made daily inspection of propping and smokeless powder samples. conditions Normal. 0928 passed sea buoy one and two 0939 C/C 118° C/S to 9.5 Kts 0941 C/C to 121°, entered swept channel 0943 entered international waters. 0949 cleared swept channel. C/C to 105° 1000 convened Engineering drills, Steering various courses at various speeds while conducting Engineering drills.

Robert M Turner Ens USNR

12-16
0800-1200 Underway as before. 1202 assumed the deck and Conn. 1207 C/C 260°, C/S 9.5 Kts. 1210 C/S 6.7 Kts. 1211 C/C 279°. C/S 3.3 Kts. 1220 took Steering Control on the Bridge. 1301 C/S 9.5 Kts. C/C 080°. 1311 C/S 6.7 Kts 6.0. Kts. 1319 C/S 3.3 Kts. 1324 C/S 6.7 Kts. 1336 C/S All S. 1337 C/S 5.0 Kts. 1340 Ens. Horton has the Conn. C/S 6.7 Kts. 1348 C/S All S. C/S 6.7 Kts. 1352 CWO Hollis has the conn & Deck. 1413 Conducted Steering Casualty drill. 1417 C/C 288°. 1420 Secured from Steering Casualty drill 1440 Exercised the crew at General Quarters drills. Ens. Horton has the Conn and deck. Maneuvering on various courses & speeds while Conducting drills. 1509 Captain has the conn. 1518 Ens. Horton has the Conn. 1521 Secured from General Quarters drills. 1528 Ens. Turner has the deck and conn. 1538 C/C 220°. 1546 Held Steering Casualty drill. 1555 Steering from Secondary Conn Sta.

J.C. Hollis, CWO, 2-USN

16-20 Underway as before 1606 C/C to 290°, 1609 C/S to 7.2 Kts 1612 shifted steering control to steering Aft. 1618 All Stop put all four main engines in loop. 1624 C/C to 345° 1627 Set special Sea detail 1630 C/C to 335° 1632 passed buoy "2" standing into Pearl Harbor Channel, Steering various courses at various speeds, to moor Alfa docks 1655. moored Starboard side to berth Alfa three Pearl Harbor Hawaii

R M Turner Ens USNR

16-20 (CONT) 1710 MOORED AS BEFORE 1800 SET MODIFIED CONDITION YOKE THRU OUT THE SHIP.

J C Horton
Ens USN

20-24 MOORED AS BEFORE

J C Horton
Ens USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: J C Walker Lt(jg) U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ASHAKI ATT-96 ZONE DESCRIPTION +10 DATE TUESDAY (Day) 23 (Date) APRIL (Month), 19 63

AT/~~PASSAGE FROM~~ PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	10	5	SCT	2998	73	67	4	2100	Cu			
02	030	10	7	SCT	2998	73	67	4	2100	Cu			
03	030	10	7	SCT	2998	74	68	4	2100	Cu			
04	030	10	7	SCT	2998	74	68	4	2100	Sc			
05	030	10	7	SCT	2998	74	68	4	2100	Sc			
06	030	10	10	SCT	2998	75	70	4	1750	Sc			
07	100	23	10	SCT	2999	75	70	3	1750	Sc			
08	100	23	10	SCT	3001	77	72	3	1750	Sc			
09	100	23	10	SCT	3001	77	72	2	1750	Sc			
10	100	23	10	C	3003	79	73	2	2100	Sc/Cu			
11	080	17	10	SCT	3002	80	73	3	2450	Cu			
12	080	17	10	SCT	3001	81	74	3	2450	Cu			
13	080	17	10	SCT	3000	83	75	4	2800	Cu			
14	070	14	10	SCT	30.00	85	75	4	2500	Cu			
15	050	10	10	SCT	30.00	86	76	4	3500	Cu			
16	045	10	10	SCT	29.99	84	76	4	2800	Cu			
17	045	10	10	SCT	29.99	81	74	5	2450	Cu			
18	045	15	10	SCT	29.99	81	74	5	2450	Cu			
19	045	15	10	SCT	29.98	78	72	5	2100	Cu			
20	045	15	10	SCT	29.98	78	72	5	2100	Cu			
21	045	13	10	SCT	29.98	78	72	5	2100	Cu			
22	045	12	10	SCT	29.98	77	73	5	1400	Cu			
23	040	11	10	SCT	29.97	77	73	5	1400	Cu			
24	045	10	10	SCT	29.97	77	73	5	1400	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
27

FUEL CONSUMED 0000-2400
342

REMARKS

0000-0004 MOORED STARBOARD SIDE TO IN BERTH ALPHA THREE, US NAVAL STATION PEARL HARBOR HAWAII, WITH STANDARD MOORING LINES DOUBLED. MODIFIED CONDITION YOKE SET THRU OUT THE SHIP. RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINC PAC FLT.

J E Horton
Ens USN

0004-0008 MOORED AS BEFORE. 0650 MUSTERED CREW AT QUARTERS, ABSENTEES NONE. 0700 SET SPECIAL SEA AND ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE OOD HAS THE CONN. 0729 UNDERWAY IN ACCORDANCE WITH COMFLT TRAGRU OP ORD 17-63 MANEUVERING ON VARIOUS COURSES AND SPEEDS TO BACK CLEAR BERTH AND LINE FAIR WITH-

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: A L Walka Lt (SC) U.S.N.R NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Tuesday (Day) 23 (Date) April (Month), 1963

Ø4-Ø8(CONT) CHANNEL. Ø737 PASSED BOUY SEVEN ABEAM TO STARBOARD. COURSE 155° SPEED 9 KNOTS. MANEUVERING ON VARIOUS COURSES TO CONFORM WITH PEARL HARBOR CHANNEL. Ø744 PASSED BOUY ONE ABEAM TO STARBOARD APROX 75 FT. C/C TO 158° Ø747 C/C TO 155° C/S TO 9.5 KNTS. Ø755 C/C TO 118° Ø758 C/C TO 123°

L E Horton
Ens USN

Ø8-12 UNDERWAY AS BEFORE. Ø806 C/C TO 100° Ø810 C/C TO 110 Ø818 EXERCISED CREW AT GENERAL QUARTERS COMMENCED MANEUVERING ON VARIOUS COURSES AND SPEEDS. WHILE CONDUCTING GENERAL DRILLS. ~~Ø834~~ 1032 SECURED FROM GENERAL QUARTERS ON COURSE 300° SPEED 3.3 KNTS. 1034 ~~RECEIVED DR~~ MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITION NORMAL 1045 C/C TO 280° C/S 9.5 KNTS 1057 MANEUVERING ON VARIOUS COURSES AND SPEEDS WHILE CONDUCTING RESCUE OF SURVIVORS DRILL. 1110 SECURED FROM RESCUE EXERCISES. COURSE 270° SPEED 3.3 KNTS.

L E Horton
Ens USN.

12-16 Underway as before. 1202 LTJG ~~ENS~~ Swan has the deck and Conn. 1235 Sounded General Quarters drills. Ens Horton resumed the deck and the Conn. 1238 CWO Hollis has the deck and the Conn. Maneuvering on Various Courses and Speeds while Conducting Various drills. 1303 Secured from General Quarters drills, LTJG ~~ENS~~ Swan has the deck and Conn. C/C 353°, C/S 9.5 Kts. 1324 C/C 337° C/S 6.7 KTS. 1330 SET THE SPECIAL SEA AND ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE, CWO HAS THE CONN C/C 334°. 1332 PASSED BOUY #2 ABEAM TO STBD, DISTANCE 50 FT. COMMENCED MANEUVERING AT VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 1334 LOWERED #2 MOTOR WHALEBOAT TO THE RAIL. 1341 LOWERED #2 MOTOR WHALEBOAT INTO THE WATER. 1345 COMMENCED MANEUVERING AT VARIOUS COURSES AND SPEEDS TO APPROACH BERTH A-3. 1355 MOORED STARBOARD SIDE TO BERTH A-3, U.S. NAVAL BASE, PEARL HARBOR, HAWAII. 1405 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. 1425 EXERCISED THE CREW AT RESCUE AND ASSISTANCE DRILLS.

W L Swan, LTJG, USNR

16-20: MOORED AS BEFORE. 1654 SECURED FROM RESCUE AND ASSISTANCE DRILLS. 1800 SET MODIFIED MATERIAL CONDITION YOKE.

W L Swan, LTJG, USNR

20-24 MOORED AS BEFORE

L E Horton
Ens USN

APPROVED: C C Reed Jr. U.S.N. COMMANDING

EXAMINED: R L Walker 24/3 U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE WEDNESDAY (Day) 24 (Date) APRIL (Month) 19 63

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	045	11	5	Sct	30.02	78	71	3	2450	CU			
02	045	9	5	Sct	30.02	78	71	3	2450	CU			
03	045	7	5	Sct	30.02	76	69	3	2450	CU			
04	045	10	5	Sct	30.02	75	68	4	2450	CU			
05	045	8	6	Sct	30.02	75	68	4	2450	CU			
06	045	6	6	Sct	30.02	77	70	4	2450	CU			
07	045	11	7	Sct	30.03	78	70	4	2800	CU			
08	045	11	10	Sct	30.03	78	70	4	2800	CU			
09	045	11	10	Sct	30.03	80	71	4	3150	CU			
10	045	12	10	Sct	30.03	80	71	4	3150	CU			
11	045	12	10	Sct	30.03	81	72	4	3150	CU			
12	045	12	10	Sct	30.02	83	74	5	3150	CU			
13	045	12	10	Sct	30.02	85	75	5	3500	CU			
14	050	13	10	Sct	30.01	85	75	5	3500	CU			
15	050	14	10	Sct	30.01	85	75	5	3500	CU			
16	050	13	10	Sct	30.01	83	76	5	2400	CU			
17	050	14	10	Sct	30.01	83	76	5	2400	CU			
18	050	14	10	Sct	29.99	80	74	5	2100	CU			
19	050	14	7	Sct	29.99	76	71	4	1750	CU			
20	050	15	7	Sct	29.99	74	69	4	1750	CU			
21	050	12	6	Sct	29.99	74	69	4	1750	CU			
22	050	10	6	Sct	29.99	74	69	4	1750	CU			
23	050	10	5	Sct	30.00	73	68	4	1750	CU			
24	050	10	5	Sct	30.00	73	68	4	1750	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

160

REMARKS

00-04: MOORED STARBOARD SIDE TO BERTH A-3, U.S. NAVAL STATION, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED MODIFIED MATERIAL CONDITION YOKE SET. RECEIVING FRESH WATER AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA is CINCPACFLT

W. [illegible], LTJG, USNR.

04-08: MOORED AS BEFORE. 0650 MUSTERED THE CREW AT QUARTERS; ABSENTEES; NONE. 0755 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

W. [illegible], LTJG, USNR.

APPROVED: C. C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LtJg U.S.N.R NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 24 (Date) APRIL (Month), 63

08-12 moored as before. 0819 Held collision drill. Section I providing. 0845 secured from export collision drill. 0847 Held export fire drill, Section II providing. 0920 Secured from export fire drill. 0930 Held Rescue and assistance drill, Section III Providing - 1010 Secured from Rescue and assistance drill, Restored all gear.

J.L. Hollis. CWO-2. USN

12-16 moored as before.

J.L. Hollis. CWO-2. USN

16-20 moored as before. 1800 set Material Condition yoke "modified" through out the ship.

J.L. Hollis. CWO-2. USN

20-24 moored as before.

J.L. Hollis. CWO-2. USN

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.L. Walker Lt(jg) U.S.N.R. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE Thursday (Day) 25 (Date) April (Month), 1963

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	080	8	5	Sct	3004	73	67	4	2100	cu			
02	080	8	5	Sct	3004	72	66	4	2100	cu			
03	080	7	5	Sct	3003	72	66	3	2100	cu			
04	080	7	5	Sct	3003	72	66	3	2100	cu			
05	090	7	6	Sct	3002	74	67	2	2450	Sc			
06	090	8	6	Sct	3002	75	68	2	2450	Sc			
07	090	9	7	Sct	3002	77	70	2	2450	Sc			
08	090	10	10	Sct	30.00	78	71	1	2450	Sc	76	120	3
09	090	13	10	C/R	3000	78	71	1	2450	Sc	76	120	4
10	085	13	10	C/R	30.00	79	72	—	2450	cu	76	110	4
11	085	15	10	C/R	3000	79	72	—	2450	cu	76	110	4
12	085	16	10	C/R	29.99	79	72	—	2450	cu	77	090	5
13	085	18	10	C/R	29.99	79	72	1	2450	cu	77	090	5
14	085	21	10	Sct	29.99	80	72	3	2800	cu	78	070	4
15	085	21	10	Sct	29.97	79	71	3	2800	cu	78	070	4
16	080	19	10	Sct	29.97	77	70	4	2450	cu	77	070	4
17	080	16	9	Sct	29.97	76	69	4	2450	cu	76	070	4
18	080	14	9	Sct	29.97	76	68	4	2800	cu			
19	080	11	8	Sct	29.96	76	68	4	2800	cu			
20	080	[illegible]	7	Sct	29.96	75	67	4	2800	cu			
21	080	11	5	Sct	29.96	74	66	5	2800	cu			
22	080	11	5	Sct	29.96	74	67	5	2450	cu			
23	080	10	5	Sct	29.96	74	67	5	2450	cu			
24	080	10	5	Sct	29.96	74	67	5	2450	cu			
		~~10~~											

POSITION	ZONE	TIME
0800		
L ____ BY ____		
λ ____ BY ____		
1200		
L ____ BY ____		
λ ____ BY ____		
2000		
L ____ BY ____		
λ ____ BY ____		

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM ____ (ZT) ____ (Date)
TO ____ (ZT) ____ (Date)
SET ____
DRIFT ____

POSITION BETWEEN FIXES

MID. L ____
MID. λ ____

MILES STEAMED 0000-2400: 65

FUEL CONSUMED 0000-2400: 1610

REMARKS

00-04 Moored, stbd. side Berth A3, U.S. Naval Station, Pearl Harbor, Hawaii, using four std. mooring lines doubled. #1 s/s generator supplying ships power and lighting - Receiving telephone service from the pier, Condition of the "modified" set through out the ship, Ships present include Various units of the U.S. Pacific Fleet, district and small Craft. S.O.P.A. is CinCpacFlt.

J.L. Hollis, CWO-2, USN

04-08 Moored as before. 0651 mustered the crew at Quarters. Unauthorized absentees: None. 0705 set the Sea and anchor detail. 0730 Underway ~~in a~~ IAW Flt. Tra. Gp. OP-ord-16-63 to local op area, Captain and navigator on the Bridge ^OOD has the conn. Maneuvering on Various Courses and speeds while proceeding out the Channel to sea. 0749 passed Buoy to stbd. approx. 75 feet. Secured the Sea and anchor detail. JLH

APPROVED: C C Reed Jr. U.S.N. COMMANDING

EXAMINED: B L Walker Ltjg U.S.N.R NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Thursday (Day) 25 (Date) APRIL (Month), 1960

OH-08(Con't) 0750 C/C 150°. Base Spud 9.5 Kts. 0752 C/C 153°.

J. A. Hollis. CWO-2-USN

08-12 Underway as before. 0800 C/C 250°, 0802, C/C 260°, 0803, C/C 262°, 0806 C/C 258°, 0809 C/C 195°, 0820 C/C 202°, C/S 13.5 KTS. 0834 made daily Inspection of magazines and Smokeless powder samples, Conditions normal. 0838 C/S 6.7 Kts., C/S 13.3 Kts. 0839 Ens. TURNER has the Deck and Comm. 0906 C/S 3.3 Kts. 0916 C/S 6.7 Kts. 0917 C/S 3.3 Kts. 0920 C/C 315°, C/S 14.3 Kts. 0930 Set the Replenishment at Sea detail, Commenced maneuvering on Various courses and Speeds for approach on RNZ ORTAGO (F-111). 0936 the Captain Has the Comm. Base Course & Spud are C-240°, S-8 Kts. 0941 First line over. 0945 Commenced Highline Exercise to port. 0950 Secured from highline exercise. 0954 last line Clear of RNZ ORTAGO-(F-111). C/S 14.3 Kts. C/C 250°, C/C 240° 0956 C/C 235°, 0957 C/C 240°, C/C 238°, C/C 235°, Secured the Replenishment detail. 0959 C/S 6.7 Kts., C/C 240°, resumed the Comm from the Captain. 1003 C/C 180°, C/C 177° 1005 C/C 180°, C/S 14.3 Kts, 1006 C/C 075, 1009 C/C 168°, 1014 C/C 260°, The Captain has the Comm. C/C 180°, 1018 C/C 178°, C/S 9.5 Kts. Resumed the Comm from the Captain. ~~1020~~ 1020 C/C 184°, 1024 C/C 180°, C/S 14.3 Kts., C/C 330°, 1027 C/C 180°, Stationed the towing detail, maneuvering on Various courses and speeds while approaching RNZ ORTAGO (F-111) for Towing exercise. 2-26-S. 1036 Captain has the Comm. 1050 First line over. 1055 Messanger parted. 1058 on new approach. 1121 shot line over. 1123 shot line parted. 1138 on new approach. 1140 Cancelled Towing exercise, Time availabe not sufficient to ~~1143~~ continue on. 1143 resumed the Comm from the Captain. 1147 Secured the Towing detail. 1150 C/S 14.3 Kts. C/C 100°, 1155 C/S 10 Kts - Relieved of the Deck and the Comm by Ens. Turner.

J. A. Hollis. CWO 2. USN

12-16 Underway as before 1204 C/C to 125°, C/C to 135° 1205 C/C to 145°, C/C to 150°, 1207 C/S to 10.5 kts, 1208 160° C/C to 175°, 1211 C/C to 180°, C/C to 177°, 1213 C/C to 180°, 1214 C/C to 177°, C/S to 10 kts, 1217 C/C to 179, 1220 C/C to 180, C/C to 183° 1222 C/C to 185°, 1224 C/C to 070°, 1227 C/C to 083°, 1228 C/C to 070°, 1231 C/S to 11 kts, 1232 C/S to 12 kts 1236 C/S to 14.3 kts 1239 C/C to 072°, 1246 C/C to 070°, 1249 C/S to 12 kts, C/C to 068° 1254 C/S to 12.3 kts. 1257 C/C to 065°. 1259 C/S to 12.6 kts 1301 C/S to 12.3 kts C/S to 12 kts. 1305 C/C to 069°, 1309 C/C to 066° PGC 1316 C/C to 070° 1320 Maneuvering to position ship in fuel station along side USS Pouchatoula (AO 148) for fueling exercise. 1435 Fueling exercise completed 1436 C/C to 270°, 1437 C/S to 7.8 kts, C/C to 271°, 1439 C/S to 8 kts, 1446 C/S to 12.3 kts, C/C to 260°, 1444 C/S to 13.3 kts

APPROVED: C. C. Reed Lt. U.S.N. COMMANDING

EXAMINED: A. L. Walker Lt (jg) U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ , 19 _____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY	WEATH-ER	BAROM-ETER	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)	(Miles)	(Sym-bols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED: EXAMINED:

_____ U.S.N. COMMANDING _____ U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Thursday (Day) 25 (Date) April (Month), 1963

1445 C/S to 6.7 Kts. 1447 C/C to 100°, 1450 C/S to 12.3 Kts
1454 C/C to 277°, 1455 C/C to 270, 1520 C/C to 269°
1524 C/S to 9 Kts, 1526 C/S to 6.3 Kts, 1527 C/S to 8 Kts
1530 C/C to 079° 1531 C/C to 077°, C/S to 9 Kts, 1532 C/S to
10 Kts 1533 C/S to 10.5 Kts. 1534 C/C to 075°, 1536 C/S to 10 Kts
1544 C/C to 073°, 1545 ~~ENS Hart~~ RT

Robert M Turner ENS USNR

12-16 (cont) 1556 C/S 11.5 KNTS 1557 C/C TO 080° C/S TO 10 KNTS
1558 C/C 070° 1559 C/C 060°

L E Horton
Ens USN

16-20 UNDERWAY AS BEFORE. 1600 C/C TO 090° 1602 C/S
TO 6.7 KNTS 1604 C/C TO 290° C/S TO 9 KNTS. 1606 C/C 310°
STATIONED THE TOWING DETAIL COMMENCED APPROACH ON
RN2N OTAGO CAPTAIN HAS THE CONN NAVIGATOR HAS
THE DECK. 1611 Left 10° rudder C/S to 6.7 1612 C/C to 185°
C/S to all stop 1616 First Line over ~~L E Horton~~ AX2
to OTAGO 1630 Towing cable on deck ~~Ens USN~~ AX2
of OTAGO 1639 Commenced towing OTAGO 1642 C/S to 3.3 kts
1645 C/S to 5 kts C/C to 145° 1652 C/S to 8 kts 1656 C/C to 130°
1658 C/C to 115 C/S to 10 kts. 1700 C/S to 9 kts. 1701 C/S to 6 kts
C/C 110° 1702 C/S to 2 kts 1708 C/S to all stop. Commenced disconnecting
towing cable on deck of OTAGO 1742 ~~Recieved~~ Towing cable clear
of OTAGO and recieved aboard. 1758 All lines clear of OTAGO C/S
to 6 kts C/C to 000° 1802 C/S to 14.3 kts. 1803 C/S 13.3 KTS. 1811 C/C 035°
1937 C/C 345° C/S 9.5 KTS. 1940 SET THE SPECIAL SEA AND
ANCHOR DETAIL. CAPTAIN & NAVIGATOR ON THE BRIDGE, OOD HAS THE CONN. C/C 334°. 1942 PASSED BOUY #2 ABEAM TO KRD
STARBOARD; DISTANCE 75 FT. COMMENCED MANEUVERING AT
VARIOUS COURSES AND SPEEDS TO CONFORM TO PEARL HARBOR
CHANNEL. 1957 MANEUVERING AT VARIOUS COURSES AND
SPEEDS TO APPROACH BERTH A-3.

H A Fowan, LTJG, USNR

20-24: UNDERWAY AS BEFORE. 2001 MOORED STBD SIDE TO BERTH A-3, U.S NAVAL
BASE; PEARL HARBOR, HAWAII. 2008 SECURED THE SPECIAL SEA AND ANCHOR
DETAIL.

H A Fowan, LTJG, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: B L Walker 2d(jg) U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE Friday (Day) 26 (Date) April (Month), 19 63

AT/PASSAGE FROM Pearl Harbor Hawaii TO Local Ops Area

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	080	8	6	SCT	2996	76	70	3	2100	Sc			
02	045	7	6	SCT	2997	76	70	3	2100	Sc			
03	045	7	6	SCT	2997	76	70	3	2100	Sc			
04	350	4	6	SCT	2997	76	64	3	2450	Sc			
05	350	4	6	SCT	2998	76	68	3	2800	cu			
06	350	1	6	SCT	2998	76	66	3	3500	cu			
07	350	1	5	SCT	2998	77	68	3	3150	cu			
08	350	1	5	SCT	2999	77	68	3	3150	cu			
09	350	1	8	BKN	3000	78	64	3	3150	cu			
10	350	2	8	BKN	3000	80	72	6	2800	cu			
11	350	2	8	BKN	3002	82	73	6	2800	cu			
12	350	3	8	BKN	3002	84	74	6	3500	cu			
13	070	5	10	BKN	3000	80	70	6	3500	cu	77	Ø7Ø	3
14	070	7	10	BKN	2998	80	70	6	3500	cu	77	Ø7Ø	3
15	045	7	10	BKN	2995	80	70	7	3500	cu	77	Ø7Ø	3
16	045	10	10	BKN	2995	80	71	7	3150	cu			
17	045	10	10	BKN	2996	80	71	7	3150	cu			
18	045	10	10	BKN	2997	80	71	7	3150	cu			
19	045	10	8	BKN	2997	80	71	8	3150	cu			
20	040	7	8	BKN	2997	80	71	8	3150	cu			
21	040	5	10	BKN	2999	80	71	8	3150	cu			
22	045	5	10	BKN	3000	80	70	8	3500	cu			
23	045	5	10	BKN	3000	80	71	8	3150	cu			
24	040	5	10	BKN	3000	80	71	8	3150	cu			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 36

FUEL CONSUMED 0000-2400: 210

REMARKS

ØØ-Ø4 Moored starboard side to berth Alfa three A-3, US Naval base Pearl Harbor using four standard nylon moorings lines doubled up. Receiving fresh water and telephone service from the pier. number on ship service generator providing electrical power number two fire and flushing pump on the line. Ships present include various units of the U S Pacific fleet and various yard and distract small craft. Material Condition "Yoke" is set throughout the ship. SOPA is CNC Pac Flt.

Robert M Turner Ens USNR

Ø4-Ø8 moored as before 0745 mustered crew at quarters. absentees none.

Robert M Turner Ens USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Walker Lt(jg) U.S.N.R NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 FRIDAY (Day) 26 (Date) APRIL (Month), 19 63

0800-1200 MOORED AS BEFORE. 1115 MADE DAILY INSPECTION OF MAGAZINES, SMOKELESS POWDER SAMPLES, AND TESTED MAGAZINE SPRINKLING SYSTEN CONDITIONS NORMAL

L E Harton
Ens USN

1200-1600 MOORED AS BEFORE ~~1245~~ 1205 SET SPECIAL SEA AND ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE. OOD HAS THE CONN. 1235 UNDERWAY FROM BERTH ALPHA THREE IN ACCORDANCE WITH COMFLTRAGRP OP-ORD 16-63. MANEUVERING ON VARIOUS COURSES AND SPEEDS TO CLEAR BERTH AND LINE FAIR IN THE CHANNEL. 1245 PASSED BOUY FIVE ABEAM TO STBD APPROX 50FT STEADY ON COURSE 152° SPEED 9 KNOTS. COMMENCED MANEUVERING ON VARIOUS CURSES TO CONFORM WITH PEARL HARBOR CHANNEL. 1250 PASSED BOUY ONE ABEAM TO STBD APPROX 50FT. SECURED SPECIAL SEA AND ANCHOR DETAIL 4/5 TO 8 KNTS. COMMENCED MANEUVERING VARIOUS COURSES TO TRANSIT SIMULATED MINE FIELD. 1335 CLEARED SIMULATED MINE FIELD. EXERCISED CREW AT GENERAL QUARTERS. COMMENCED MANEUVERING ON VARIOUS COURSES AND SPEED WHILE CONDUCTING FLTRA GRP BATTLE PROBLEM 1516 SECURED FROM GENERAL QUARTERS COURSE 000 SPEED 13 KNOTS.

L E Harton
Ens USN

1600-2000 MOORED AS BEFORE 1602 SECURED SPECIAL SEA DETAIL 1800 SET CONDITION YOKE MODIFIED THRU OUT THE SHIP.

Leslie E Harton
Ens USN

2000-2400 MOORED AS BEFORE.

L E Harton Ens USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: A J Walla HOS U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE Saturday (Day) 27 (Date) April (Month), 19 63

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	Φ4Φ	2	5	BKN	29.99	74	7Φ	6	14ΦΦ	SC			
02	Φ4Φ	2	5	BKN	29.99	75	7Φ	6	175Φ	SC			
03	Φ4Φ	2	5	BKN	29.99	76	71	6	175Φ	SC			
04	Φ4Φ	2	5	BKN	29.99	76	71	6	175Φ	SC/ST			
05	Φ4Φ	3	6	BKN	29.99	78	72	6	21ΦΦ	ST			
06	Φ35	3	7	BKN	30.00	78	72	6	21ΦΦ	ST			
07	Φ35	3	8	BKN	30.00	78	72	6	21ΦΦ	CU			
08	Φ35	4	10	Sct	30.01	79	73	5	21ΦΦ	CU			
09	Φ35	4	10	Sct	30.01	79	73	5	21ΦΦ	CU			
10	Φ35	5	10	Sct	30.01	81	75	5	21ΦΦ	CU			
11	Φ35	7	10	Sct	30.01	83	76	4	245Φ	CU			
12	Φ4Φ	8	10	Sct	30.01	84	77	4	245Φ	CU			
13	Φ4Φ	9	10	Sct	30.02	87	79	4	28ΦΦ	CU			
14	Φ4Φ	11	10	Sct	30.02	89	81	5	28ΦΦ	CU			
15	Φ4Φ	11	10	Sct	30.02	91	81	5	35ΦΦ	CU			
16	Φ4Φ	8	10	Sct	30.02	91	81	5	35ΦΦ	CU			
17	Φ45	8	9	Sct	30.02	88	79	5	315Φ	CU			
18	Φ45	5	9	Sct	30.03	86	78	5	28ΦΦ	CU			
19	Φ45	5	8	BKN	30.03	83	75	6	28ΦΦ	CU			
20	Φ45	5	5	BKN	30.04	80	72	7	28ΦΦ	CU			
21	Φ45	3	5	BKN	30.04	79	71	7	28ΦΦ	CU			
22	Φ45	3	5	BKN	30.04	78	70	7	28ΦΦ	CU			
23	Φ45	3	5	BKN	30.04	77	68	7	315Φ	CU			
24	Φ45	3	5	BKN	30.04	75	66	7	315Φ	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

723

REMARKS

ΦΦ-Φ4 MOORED PORT SIDE TO BERTH ALPHA SIX, WITH STANDARD MOORING LINES DOUBLED, US NAVAL STATION, PEARL HARBOR HAWAII. MODIFIED CONDITION YOKE SET THRU OUT THE SHIP. RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COM HAW SEA FRON.

J E Horton
Ens USN

Φ4-Φ8 MOORED AS BEFORE Φ745 MUSTERED CREW ON STATIONS ABSENTEES NONE.

J E Horton
Ens USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LT(SG) U.S.N.R NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 27 (Date) APRIL (Month), 1963

08-12: MOORED AS BEFORE. 0830 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

H. L. Swan, LTJG, USNR.

12-16: MOORED AS BEFORE. 1315 RECEIVED PYROTECHNICS AS FOLLOWS FROM U.S.S. QUADRAD (ATF-110): 1 BOX SMOKE SIGNAL KIT (24 ROUNDS); 18 CANS AIRCRAFT FLOAT LIGHTS; 2 BOXES VERY PISTOL SIGNAL FLARES; 6 HANDGRENADES; 1 CAN FUZES FOR HAND GRENADES.

H. L. Swan, LTJG, USNR.

16-20: MOORED AS BEFORE. 1800 SET MODIFIED MATERIAL CONDITION YOKE.

H. L. Swan, LTJG, USNR.

20-24: MOORED AS BEFORE.

H. L. Swan, LTJG, USNR.

APPROVED: C. C. Reed Jr. U.S.N. COMMANDING

EXAMINED: A. L. Walker LT(SG) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SUNDAY (Day) 28 (Date) APRIL (Month), 19 63

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	Φ6Φ	8	5	Sct	3ΦΦ5	75	69	4	21ΦΦ	CU			
02	Φ6Φ	8	5	Sct	3Φ.Φ5	76	69	4	2450	CU			
03	Φ6Φ	8	5	Sct	3Φ.Φ5	77	69	4	28ΦΦ	CU			
04	Φ6Φ	10	5	Sct	3Φ.Φ5	78	69	6	315Φ	CU			
05	Φ6Φ	10	5	BKN	3Φ.Φ4	78	69	6	315Φ	CU			
06	Φ55	10	6	BKN	3Φ.Φ4	78	69	6	315Φ	CU			
07	Φ55	10	6	BKN	3Φ.Φ4	79	70	6	315Φ	CU			
08	Φ55	10	8	BKN	3Φ.Φ4	79	70	6	315Φ	CU			
09	Φ55	10	8	BKN	3Φ.Φ3	81	71	6	350Φ	CU			
10	Φ45	10	10	BKN	3Φ.Φ3	83	72	6	385Φ	CU			
11	Φ45	8	10	BKN	3ΦΦ3	84	72	6	42ΦΦ	CU			
12	Φ45	8	10	Sct	3Φ.Φ3	84	72	4	42ΦΦ	CU			
13	Φ45	7	10	Sct	3Φ.Φ3	84	72	4	42ΦΦ	CU			
14	Φ45	7	10	Sct	3Φ.Φ3	85	73	5	42ΦΦ	CU			
15	Φ45	6	10	Sct	3ΦΦ2	85	73	5	42ΦΦ	CU			
16	Φ45	6	10	Sct	3Φ.Φ2	85	73	5	42ΦΦ	CU			
17	Φ5Φ	6	8	Sct	3Φ.Φ2	82	70	5	42ΦΦ	CU			
18	Φ5Φ	6	8	Sct	3Φ.Φ2	81	69	5	42ΦΦ	CU			
19	Φ5Φ	6	6	Sct	3Φ.Φ2	78	68	5	350Φ	CU			
20	Φ5Φ	6	6	BKN	3Φ.Φ2	76	66	6	35ΦΦ	CU			
21	Φ5Φ	6	5	BKN	3Φ.Φ3	75	64	7	385Φ	CU			
22	Φ5Φ	5	5	BKN	3ΦΦ3	75	64	7	385Φ	CU			
23	Φ5Φ	5	5	BKN	3ΦΦ3	75	64	7	385Φ	CU			
24	Φ5Φ	5	5	BKN	3ΦΦ3	74	64	7	35ΦΦ	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

798

REMARKS

ΦΦ-ΦH: MOORED PORT SIDE TO BERTH A-2, U.S. NAVAL STATION, PEARL HARBOR, HAWAII WITH STANDARD MOORING, LINES DOUBLED. MODIFIED MATERIAL CONDITION YOKE IS SET. RECEIVING FRESH WATER AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMHAWSEAFRON.

W. L. [illegible], LT JG, USNR

ΦH-Φ8: MOORED AS BEFORE.

W. L. [illegible], LTJG, USNR.

APPROVED: C. C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LtJG U.S.N.R NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Sunday (Day) 28 (Date) APRIL (Month), 19 63

08-12 moored as before: 0800 mustered the crew on stations, Unauthorized absentees, none. 0845 made daily inspection of magazines and smokeless powder samples, Conditions normal.

J.L. Hollis, CWO-2, USN

12-16 moored as before.

J.L. Hollis, CWO-2, USN

16-20 moored as before: 1800 set Material Condition yoke "modified" throughout the ship.

J.L. Hollis, CWO-2, USN

20-24 moored as before.

J.L. Hollis, CWO-2, USN

APPROVED: C C Read Lt. U.S.N. COMMANDING

EXAMINED: R L Walker Lt (jg) U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE MONDAY (Day) 29 (Date) APRIL (Month), 1963

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	050	6	4	BKN	30.04	74	69	6	1750	CU			
02	050	6	4	BKN	30.04	74	69	6	1750	CU			
03	050	6	4	BKN	30.04	74	69	6	1750	CU			
04	045	4	4	BKN	30.03	74	69	6	1750	CU			
05	045	4	4	BKN	30.03	75	68	6	2450	CU			
06	045	4	5	SCT	30.03	75	68	5	2450	CU			
07	045	5	5	SCT	30.03	76	68	5	2450	CU			
08	045	9	8	SCT	30.03	76	69	5	2450	CU			
09	045	10	10	SCT	30.03	78	69	5	2800	CU	79	070	2
10	035	14	10	SCT	30.03	78	70	5	2800	CU	79	070	2
11	035	15	10	SCT	30.03	80	70	5	3500	CU	79	075	2
12	035	15	10	SCT	30.02	81	71	4	3500	CU	79	075	2
13	035	15	10	SCT	30.02	81	71	4	3500	CU	79	060	3
14	035	12	10	SCT	30.02	81	71	4	3500	CU	79	060	3
15	035	12	10	SCT	30.02	82	72	4	3500	CU	79	060	3
16	035	9	10	SCT	30.02	82	72	4	3500	CU			
17	035	9	9	SCT	30.03	81	72	4	3150	CU			
18	030	9	9	SCT	30.03	80	70	5	3500	CU			
19	030	9	8	SCT	30.03	80	70	5	3500	CU			
20	030	8	8	SCT	30.03	79	69	5	3500	CU			
21	030	8	6	SCT	30.03	79	68	5	3750	CU			
22	030	8	6	SCT	30.03	79	68	5	3750	CU			
23	030	8	5	SCT	30.04	78	67	5	3750	CU			
24	030	7	5	SCT	30.04	78	67	5	3750	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 36

FUEL CONSUMED 0000-2400: 569

REMARKS

00-04 moored port side to Berth A-2, U.S. Naval Station, Pearl Harbor, Hawaii using four (4) std. lines doubled. #1 S/S generator supplying ships power and lighting, receiving telephone service from the pier. Condition yoke modified set through out the ship. Ships present includes various units of the U.S. Pacific Fleet, District and Small Craft. S.O.P.A. is CinCPac Flt.

J.L. Hollis, CWO-2, USN

04-08 moored as before. 0345 mustered the crew on stations. unauthorized absentees: none.

J.L. Hollis, CWO-2, USN

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.L. Walker Lt(jg) U.S.N.R. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Monday (Day) 29 (Date) April (Month), 1963

08-12 moored as before 0800 set the Sea and anchor detail 0815 Underway IAW Com Flt Tra Gmi. Op Ord 18-63 to local ops area. Captain and Navigator on the bridge, OOD has the Conn. Maneuvering on various courses and speeds while transiting the Channel. 0832 passed sea bouy #1 abeam to Stbd approximately 50 ft. Secured the sea and anchor detail. On Course 153° speed 9.5 kts. 0834 C/c to 110°, 0838 C/c to 115°, 0845 C/s to 12.3 kts C/c 120°, 0854 C/s 13.3 kts. 0900 passed into International waters. 0909 C/c 122°. 0922 made daily inspection of magazines and smokeless powder samples, conditions normal. 0923 C/c to 270°, 0925 C/s to 6.7 kts 0927 C/s to 5.0 kts. 0930 Commenced exercise Z-10-CC with USS Reclaimer (ARS-42) Steering various courses and speeds to comply with exercise. 1040 Completed Exercise Z-10-CC. 1041 C/s to 3.3 kts Course is 274° 1042 C/s to 9.5 kts, 1043 C/c 090°, 1055 C/c to 034°, 1100 C/c 065°, 1101 C/c to 180°, 1104 C/s to 12 kts C/c 120°, 1107 C/c to 070°, 1108 C/c to 065° 1109 maneuvering various courses and speeds while preparing for Exercise Z-6-S, 1120 Commenced Z-6-S with USS Reclaimer (ARS-42), ARS-42 making first approach 1138 USS Reclaimers towing pennant aboard and secured. 1143 Towing Hawser and pennant cast off. 1155 Underway making approach on USS Reclaimer (ARS-42) using various courses and speeds

J.L. Hollis. CWO2, USN

12-16 Underway as before 1210 Towing hawser aboard ARS-42 and secured. 1211 Commenced building up speed with ARS-42 in Tow. maneuvering on various courses and speeds. 1241 Towing Hawser Cast off from ARS-42 1248 Completed Exercise Z-6-S. C/c 270°, C/s 6 kts. 1249 Secured from Exercise. 1313 Relieved of the Deck and Conn by Ens Turner

J.L. Hollis. CWO2, USN

12-16 (Cont) 1350 Held steering casualty drill. 1358 C/c to 000° 1405 secured from steering casualty drill 1415 C/c 060° Entered Inland waters, SET the Anchor detail Captain and Navigator on the bridge. OOD has the Conn. maneuvering various courses and speeds to anchor at anchorage 8. 1438 Anchored at anchorage 8 in 30 fathoms of water, gray sand and coral bottom using starboard anchor. Anchor bearings Cupola 092.5° La Ronde 057 3/4° Radiotower 109° Radio Tower 021°. 1452 Captain and Navigator on the bridge, OOD has the Conn. The anchor is aweigh and the ship is underway. 1454 Speed is 3.3 kts, Course 157°, 1457 C/s to 9.5 kts C/c to 100° 1458 C/c 170°, 1459 C/c 260°, C/c to 244° C/s to 6.7 kts, 1501 C/s 12.3 kts 1505 C/c 265° 1515 C/c 268, C 1517 C/c 300° 1520 Set special sea and anchor detail. Captain and Navigator on the bridge OOD has the Conn. 1528 passed sea bouy number one abeam to starboard, steering various courses and speeds to conform to Pearl Harbor channel and moor Alfa docks. 1547 moored portside to berth Alfa two Pearl Harbor Hawaii

Robert M Turner Ens USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R.L. Walker Lt (JG) U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVRERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ , 19 _____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY	WEATH-ER	BAROM-ETER	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)	(Miles)	(Sym-bols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Monday (Day) 29 (Date) April (Month), 1963

16-20 Moored as before. 1800 Set modified material Condition "Yoke" in the ship.

Robert M Turner Ens USNR

20-24 Moored as before.

Robert M Turner Ens USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Walker LTJG U.S.N.R NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE Tuesday (Day) 30 (Date) April (Month), 19 63

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO Local Op Area

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	Ø3Ø	4	4	Sct	30.04	74	69	5	1750	Cu			
02	Ø3Ø	4	4	Sct	30.04	74	69	5	1750	Cu			
03	Ø3Ø	4	5	Sct	30.04	74	69	5	1750	Cu			
04	Ø4Ø	5	5	Sct	30.03	75	70	5	1750	Cu			
05	Ø4Ø	5	5	Sct	30.03	75	70	5	1750	Cu			
06	Ø4Ø	5	5	Sct	30.03	76	71	5	1750	Cu			
07	Ø4Ø	5	7	Sct	30.03	76	71	5	1750	Cu			
08	Ø4Ø	8	8	BKN	30.04	77	72	6	1750	Sc	~~Ø4Ø~~ 77	040	3
09	Ø5Ø	11	1Ø	BKN	30.05	77	72	6	1750	Sc	74	050	4
10	Ø5Ø	11	1Ø	BKN	30.05	79	73	6	2100	Sc	75	050	4
11	Ø5Ø	12	1Ø	BKN	30.05	8Ø	73	7	2450	Sc	75	050	4
12	Ø7Ø	13	1Ø	BKN	30.06	82	74	7	2800	Sc	77	050	4
13	Ø7Ø	11	1Ø	BKN	30.06	82	74	7	2800	Sc	77	070	4
14	Ø7Ø	11	1Ø	BKN	30.06	82	74	7	2800	Sc	77	070	4
15	Ø7Ø	1Ø	1Ø	BKN	30.05	82	74	7	2800	Sc	77	070	3
16	Ø7Ø	7	1Ø	BKN	30.05	81	73	7	2800	Sc	77	070	2
17	Ø6Ø	5	9	BKN	30.04	8Ø	72	7	2800	Sc			
18	Ø6Ø	5	7	BKN	30.04	78	7Ø	7	2800	Cu			
19	Ø6Ø	3	5	BKN	30.03	78	7Ø	8	2800	Cu			
20	Ø6Ø	3	5	BKN	30.03	76	7Ø	8	2100	Cu			
21	Ø55	2	4	BKN	30.02	76	7Ø	8	2100	Cu			
22	Ø55	2	4	BKN	30.02	74	69	8	1750	Cu			
23	Ø55	2	4	BKN	30.02	74	69	8	1750	Cu			
24	Ø55	2	4	BKN	30.02	73	69	8	2100	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 104

FUEL CONSUMED 0000-2400: 1140

REMARKS

ØØ-Ø4 Moored portside to berth Alfa two (A-2) with four Standard mooring lines, at US naval base Pearl Harbor Hawaii. Receiving Water, telephone service, from the pier and Electricity from S.S Generator number one (1). Ships present include various units of the US Pacific Fleet and various yard and district craft. Material Condition "Yoke" is set through out the Ship. SOA is Condition Alfa.

Robert M. Turner Ens USNR

Ø4-Ø8 Moored as before. Ø745 Quarters for muster, absentees none. ØØ was the Comm ^ Ø73Ø Captain and Navigator on the bridge. Ø73Ø maneuvering at pier. Ø737 Underway from Alfa-two to local ops area in accordance with COMTHIRDFLT Ltr Ser Ø1ØKD 18-63. Maneuvering at various speeds and courses to navigate channel and arrive at Sea buoy number one. Ø749

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: A T Walker Lt (jg) U.S.N.R NAVIGATOR